

# A catalogue of Benhamiinae species

(Annelida: Oligochaeta: Acanthodrilidae)

Cs. Csuzdi\*

## Abstract

A comprehensive taxonomic and nomenclatural revision of the species included in the subfamily Benhamiinae MICHAELSEN, 1897, by CSUZDI (in press) is summarized. Of 343 included taxa, the types of 198, and non-typical material of 42 were examined. It is concluded that 34 names are to be placed in synonymy to join another 34 previously accepted as synonyms with a further 9 taxa to be regarded as incertae sedis. The subfamily Benhamiinae is considered to contain 266 valid species.

**Key words:** Earthworms, Oligochaeta, Acanthodrilidae, Benhamiinae, *Dichogaster*, catalogue, valid names, synonyms.

## Zusammenfassung

Es wurde eine vollständige taxonomische und nomenklatorische Revision der Benhamiinae Unterfamilie angehörenden Arten durchgeführt. Von den 343 beschriebenen Arten wurden von 198 Arten Typusexemplare und von weiteren 42 Arten anderes Material untersucht und revidiert. Außer den 34 bisherigen Synonymen werden weitere 34 Namen synonymisiert. Neun Namen werden als Species incertae sedis behandelt. Die Unterfamilie Benhamiinae enthält jetzt 266 gültige Arten.

## Introduction

The subfamily Benhamiinae was erected by MICHAELSEN (1897) to accommodate several earthworm genera with meronephridial excretory systems, duplicated gizzards and 3 pairs of calciferous glands. It had not been clearly defined, so one could only guess whether it would have contained all of the closely related genera *Benhamia* MICHAELSEN, 1889, *Dichogaster* BEDDARD, 1888, *Microdrilus* BEDDARD, 1893, and *Millsonia* BEDDARD, 1894.

MICHAELSEN (1900) united the above genera and the subsequently described *Balanta* MICHAELSEN, 1898, under the name of *Dichogaster* and placed it into the subfamily Trigastrinae MICHAELSEN, 1900. Later on, different authors assigned this continuously increasing genus to different families or subfamilies (STEPHENSON 1930, OMODEO 1958, GATES 1959, JAMIESON 1971, SIMS 1980, JAMIESON 1988).

\* Dr. Csaba Csuzdi, Soil zoological research group of Hungarian Academy of Sciences at the Department of Systematic Zoology and Ecology, Eötvös Loránd University, pf. 330, 1445 Budapest, Hungary.

During this time, several well-defined groups were separated from *Dichogaster* sensu lato into the re-established genera *Benhamia* (OMODEO 1955), *Millsonia* (OMODEO 1955); *Eutrigaster* (SIMS 1987, CSUZDI & ZICSI 1991), furthermore a number of new closely related genera were described (*Wegeneriella* MICHAELSEN, 1933, *Neogaster* ČERNOSVITOV, 1934, *Wegeneriona* ČERNOSVITOV, 1939, *Pickfordia* OMODEO, 1958, *Agastrodrilus* OMODEO & VAILLAUD, 1967, *Omodeona* SIMS, 1967).

Recently CSUZDI & ZICSI (1994) subdivided the heterogeneous genus *Benhamia* MICHAELSEN, 1889, sensu OMODEO (1955, 1958) into 4 genera (*Benhamia* MICHAELSEN, 1889, *Benhamiona* CSUZDI & ZICSI, 1994, *Guineoscolex* CSUZDI & ZICSI, 1994, *Monothecodrilus* CSUZDI & ZICSI, 1994).

These and the previously mentioned genera however are in conflict with the existing higher classifications (GATES 1959, SIMS 1980, JAMIESON 1971, 1988) since the closely allied genera such as *Wegeneriella* and *Wegeneriona* should be placed into different families (into Acanthodrilidae CLAUS, 1880, and Octochaetidae MICHAELSEN, 1900, respectively by SIMS 1980) or subfamilies (Megascolecidae Megascolecinae ROSA, 1891, and Megascolecidae Acanthodrilinae respectively by JAMIESON 1971).

To solve these systematic incongruities, CSUZDI (in press) proposed the resurrection of the subfamily Benhamiinae within the family Acanthodrilidae with the following diagnosis:

Male terminalia pure acanthodrilin, sometimes with microscolecine or balantine reduction. Several stalked extramural calciferous glands paired on the oesophagus behind of the genital segments. The excretory system holonephridial or meronephridial with mero- or plectonephridia that are followed by one pair of ventromedian caudal mega-meronephridia.

The newly defined subfamily Benhamiinae contains 17 genera or subgenera (CSUZDI, in press) and the number of described species names belonging to this subfamily has nearly quintupled since the only overview of MICHAELSEN (1900). Therefore by now it is highly necessary to check the entire group from taxonomic and nomenclatural viewpoints, furthermore to prepare an annotated list of the valid names, synonyms and new combinations.

## Materials and Methods

In the course of the revision I had opportunity to examine earthworm collections of several museums (Zoologisches Institut und Zoologisches Museum der Universität Hamburg, Museo ed Istituto di Zoologia Sistematica della Università Torino, Zoologisches Museum und Institut für Spezielle Zoologie der Humboldt Universität, Berlin, The Natural History Museum, London, Naturhistorisches Museum, Wien). Furthermore data arising from the identification work carried out on specimens of collections of Musée Royal de l'Afrique Centrale, Tervuren, of Koninklijk Belgisch Institut voor Natuurwetenschappen, Brüssel, of Prof. Dr. P. Lavelle, ORSTOM, Bondy, were used.

Additionally the results of different Hungarian soil zoological expeditions (CSUZDI 1991, 1993, 1994, CSUZDI & ZICSI 1989, 1991, ZICSI & CSUZDI 1991) were involved.

### Acknowledgements

My thanks are due to the following curators for kindly letting me investigate material belonging to their institutions: Prof. Dr. M. Dzwillo (Hamburg), Mr. P. Clark (London), Dr. A. Rolando (Torino), Dr. G. Hartwich (Berlin), and Dr. H. A. Sattmann (Vienna). I am greatly indebted to Prof. Dr. A. Zicsi (Budapest) for many fruitful discussions and to Dr. J. D. Plisko (Pietermaritzburg) for useful advises reviewing the manuscript. The English text was kindly checked by Dr. R. W. Sims (London).

This study was supported by grants from the Soros Foundation (No. S-382/88 and S-2067/93) and the Peregrinatio II. (ELTE.) Foundation.

### Results

From 343 species described, type material of 198 species was investigated while other specimens were examined of a further 42 species. 34 species names were synonymized in addition to the previously known 34 synonymous names, consequently the subfamily Benhamiinae contains 266 valid species excluding those 9 species which are regarded as incertae sedis.

Detailed results are presented in Table 1: In the first column the original names are listed in an alphabetic order of the specific epithets. In the second column the valid names are tabulated. In the third column the references are given and in the fourth one the status of the investigated specimens is recorded.

### Catalogue

List of abbreviations used in the fourth column:

T = type material was investigated.

O = no type material was investigated.

L = results based on literature data.

original names	valid names	references
<i>adielana</i> MICHAELSEN, 1915; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplothecordilus) adielana</i> MICHAELSEN, 1915	MICHAELSEN 1900, CSUZDI, in press
<i>aequalis</i> MICHAELSEN, 1914; <i>Dichogaster</i> BEDDARD, 1888	sp. inc. sed.	T
<i>affinis</i> MICHAELSEN, 1890; <i>Benthania</i> MICHAELSEN, 1889	<i>Dichogaster (Diplothecordilus) affinis</i> (MICHAELSEN, 1890)	MICHAELSEN 1900, CSUZDI, in press
<i>africana</i> OMODEO, 1955; <i>Negaster</i> ČERNOSVÍTOV, 1934	<i>Pickfordia (Omndescoeler) africana</i> (OMODEO, 1955)	O
<i>agilis</i> OMODEO & VAILLAUD, 1967; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Dichogaster) wenkeri</i> (MICHAELSEN, 1931)	L
<i>aidiae</i> RIGHI, 1975; <i>Negaster</i> ČERNOSVÍTOV, 1934	<i>Negaster aidiae</i> RIGHI, 1975	O
<i>alostys-sabaudiae</i> COGNETTI, 1906; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplothecordilus) alostys-sabaudiae</i> COGNETTI, 1906	L
<i>americanus</i> ČERNOSVÍTOV, 1934; <i>Negaster</i> ČERNOSVÍTOV, 1934	<i>Negaster americana</i> ČERNOSVÍTOV, 1934	L
<i>andina</i> COGNETTI, 1904; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplothecordilus) andina</i> COGNETTI, 1904	CSUZDI, in press
<i>andina evae</i> RIGHI, AYRES & BITTENCOURT, 1978; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplothecordilus) andina</i> COGNETTI, 1904	CSUZDI & ZICSI 1991
<i>angeloi</i> RIGHI, 1988; <i>Negaster</i> ČERNOSVÍTOV, 1934	<i>Negaster angeloi</i> RIGHI, 1988	O
<i>angustana</i> MICHAELSEN, 1915; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplothecordilus) angustana</i> MICHAELSEN, 1915	L
<i>annae</i> HORST, 1993; <i>Benthania</i> MICHAELSEN 1889	<i>Dichogaster (Diplothecordilus) annae</i> (HORST, 1893)	CSUZDI, in press
<i>anomala</i> OMODEO, 1955; <i>Millsonia</i> BEDDARD, 1894	<i>Millsonia anomala</i> OMODEO, 1955	MICHAELSEN 1900, CSUZDI, in press
<i>anomala f. leptostylis</i> OMODEO & VAILLAUD, 1967; <i>Millsonia</i> BEDDARD, 1884	<i>Millsonia anomalea</i> SIMS, 1986	O
<i>arboricola</i> WASAWO & OMODEO, 1963; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Dichogaster) arboricola</i> WASAWO & OMODEO, 1963	O
<i>arcifera</i> OMODEO, 1958; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Dichogaster) arcifera</i> OMODEO, 1958	O
<i>artereata</i> SIMS, 1986; <i>Millsonia</i> BEDDARD, 1894	<i>Millsonia artereata</i> SIMS, 1986	T
<i>ashantiensis</i> SIMS, 1986; <i>Millsonia</i> BEDDARD, 1894	<i>Millsonia ashantiensis</i> SIMS, 1986	T
<i>austeni</i> BEDDARD, 1901; <i>Benthania</i> MICHAELSEN, 1889	<i>Dichogaster (Diplothecordilus) austeni</i> (BEDDARD, 1901)	MICHAELSEN 1903, CSUZDI, in press
<i>baueri</i> SCHACHTANO, 1952; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Dichogaster) baueri</i> SCHACHTANO, 1952	O
<i>badjoi</i> RIGHI, AYRES & BITTENCOURT, 1978; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplothecordilus) badjoi</i> RIGHI & AL., 1978	CSUZDI, in press
<i>bagalitana</i> MICHAELSEN, 1937; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplothecordilus) bagalitana</i> MICHAELSEN, 1937	CSUZDI & ZICSI 1994
<i>balanina</i> OMODEO, 1958; <i>Benthania</i> MICHAELSEN, 1889	<i>Benthania balanina</i> OMODEO, 1958	O
<i>balanina</i> MICHAELSEN, 1915; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplothecordilus) balanina</i> MICHAELSEN, 1915	T
<i>bataguensis</i> MICHAELSEN, 1912; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplothecordilus) bataguensis</i> COGNETTI, 1906	T
<i>baumannii</i> MICHAELSEN, 1897; <i>Benthania</i> MICHAELSEN, 1889	<i>Benthania baumannii</i> (MICHAELSEN, 1897)	T
<i>beauforti</i> MICHAELSEN, 1933; <i>Wegenertia</i> MICHAELSEN, 1933	<i>Wegenertia beauforti</i> MICHAELSEN, 1933	T
<i>belensis</i> HORST, 1888; <i>Acanthodrilus</i> PERRIER, 1872	<i>Benthania belensis</i> (HORST, 1888)	O
<i>belensis</i> RIGHI, 1988; <i>Wegenertia</i> ČERNOSVÍTOV, 1939	<i>Wegenertia belensis</i> RIGHI, 1988	L
<i>bidjumensis</i> MICHAELSEN, 1915; <i>Mongaster</i> MICHAELSEN, 1915	<i>Mongaster bidjumensis</i> MICHAELSEN, 1915	L
<i>biggei</i> MICHAELSEN, 1915; <i>Dichogaster</i> BEDDARD, 1888	<i>Benthania biggei</i> (MICHAELSEN, 1915)	L
<i>boliviensis</i> COGNETTI, 1910; <i>Dichogaster</i> BEDDARD, 1888	<i>Guineoscole boliviensis</i> (COGNETTI, 1910)	CSUZDI & ZICSI 1994
<i>bolivai</i> MICHAELSEN, 1891; <i>Benthania</i> MICHAELSEN, 1889	<i>Dichogaster (Diplothecordilus) bolivai</i> (MICHAELSEN, 1891)	O
<i>bolivai amphibiotica</i> DAHL, 1957; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplothecordilus) amphibiotica</i> DAHL, 1957	MICHAELSEN 1900, CSUZDI, in press
<i>bolivai v. decanephra</i> MICHAELSEN, 1915; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplothecordilus) bolivai</i> (MICHAELSEN, 1891)	O
<i>bolivai v. malabaricus</i> STEPHENSON, 1920; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplothecordilus) bolivai</i> (MICHAELSEN, 1891)	T
<i>bolivai pacifica</i> EISEN, 1900; <i>Benthania</i> MICHAELSEN, 1889	<i>Dichogaster (Diplothecordilus) bolivai</i> (MICHAELSEN, 1891)	RIGHI 1968
<i>brasiliiana</i> ČERNOSVÍTOV, 1939; <i>Wegenertia</i> ČERNOSVÍTOV, 1939	<i>Wegenertia brasiliiana</i> ČERNOSVÍTOV, 1939	RIGHI 1968
<i>brauni</i> MICHAELSEN, 1895; ? <i>Microdrilus</i> BEDDARD, 1893	<i>Onidonia brauni</i> (MICHAELSEN, 1895)	MICHAELSEN 1900
<i>brevicinctula</i> SIMS, 1986; <i>Millsonia</i> BEDDARD, 1894	<i>Millsonia brevicinctula</i> SIMS, 1986	CSUZDI & ZICSI 1994
<i>buddei</i> BEDDARD, 1900; <i>Benthania</i> MICHAELSEN, 1889	<i>Benthania buddei</i> (BEDDARD, 1900)	T
<i>buinukofieri</i> HORST, 1884; <i>Acanthodrilus</i> PERRIER, 1872	<i>Benthania buinukofieri</i> (HORST, 1884)	CSUZDI & ZICSI 1994

original names	valid names	references	4
<i>benhami</i> MICHAELSEN, 1892; <i>Benhamia</i> MICHAELSEN, 1889	<i>Dichogaster</i> ( <i>Dichogaster</i> ) <i>buettneri</i> (MICHAELSEN, 1892)	MICHAELSEN 1900	L
<i>cocciifera</i> BENHAM, 1894; <i>Benhamia</i> MICHAELSEN, 1889	<i>Miltsonia caecifera</i> (BENHAM, 1894)	OMODEO 1955a	T
<i>cognetti</i> COGNETTI, 1906; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster</i> ( <i>Diplothecodrilus</i> ) <i>cognii</i> COGNETTI, 1906	CSUZDI, in press	T
<i>candida</i> OMODEO, 1958; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster</i> ( <i>Dichogaster</i> ) <i>candida</i> OMODEO, 1958	L	L
<i>copillitosa</i> OMODEO, 1958; <i>Benhamia</i> MICHAELSEN, 1889	<i>Benhamonia capillitosa</i> (OMODEO, 1958)	CSUZDI & ZICSI 1994	L
<i>cotastaea</i> MICHAELSEN, 1896; <i>Benhamia</i> MICHAELSEN, 1889	<i>Dichogaster</i> ( <i>Diplothecodrilus</i> ) <i>cotastaea</i> (MICHAELSEN, 1896)	MICHAELSEN 1900, CSUZDI, in press	L
<i>chapini</i> MICHAELSEN, 1936; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster</i> ( <i>Diplothecodrilus</i> ) <i>chapini</i> MICHAELSEN, 1936	CSUZDI, in press	T
<i>chappuisii</i> ČERNOSVÍTOV, 1938; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster</i> ( <i>Diplothecodrilus</i> ) <i>heterocheta</i> MICHAELSEN, 1922	syn.n.	T
<i>centralis</i> SIMS, 1986; <i>Miltsonia</i> BEDDARD, 1894	<i>Miltsonia centralis</i> SIMS, 1986	T	T
<i>cernosvitovi</i> RIGHI & CABALLERO, 1970; <i>Wegeneriana</i> ČERNOSVÍTOV, 1939	<i>Wegeneriana cernosvitovi</i> RIGHI & CABALLERO, 1970	O	O
<i>cheratangensis</i> ČERNOSVÍTOV, 1938; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster</i> ( <i>Diplothecodrilus</i> ) <i>anteae</i> (HORST, 1933)	syn.n.	T
<i>christiyana</i> MICHAELSEN, 1937; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster</i> ( <i>Diplothecodrilus</i> ) <i>christiyana</i> MICHAELSEN, 1937	CSUZDI, in press	O
<i>cirkaitanitica</i> OMODEO, 1955; <i>Nerogaster</i> ČERNOSVÍTOV, 1934	<i>Pickfordia</i> ( <i>Omodescolex</i> ) <i>cirkaitanitica</i> (OMODEO, 1955)	CSUZDI 1993	L
<i>complanata</i> MICHAELSEN, 1897; <i>Benhamia</i> MICHAELSEN, 1889	<i>Dichogaster</i> ( <i>Diplothecodrilus</i> ) <i>complanata</i> (MICHAELSEN, 1897)	MICHAELSEN 1900, CSUZDI, in press	T
<i>congica</i> HORST, 1894; <i>Benhamia</i> MICHAELSEN, 1889	<i>Dichogaster</i> ( <i>Diplothecodrilus</i> ) <i>congica</i> (HORST, 1894)	MICHAELSEN 1900, CSUZDI, in press	O
<i>congica</i> ZICSI & CSUZDI 1989; <i>Wegeneriana</i> MICHAELSEN, 1933	<i>Wegeneriana congica</i> ZICSI & CSUZDI, 1989	O	O
<i>coronata</i> OMODEO, 1958; <i>Benhamia</i> MICHAELSEN, 1889	<i>Guineascolex coronatus</i> (OMODEO, 1958)	CSUZDI & ZICSI 1994	L
<i>cornicis</i> MICHAELSEN, 1899; <i>Benhamia</i> MICHAELSEN, 1889	<i>Dichogaster</i> ( <i>Dichogaster</i> ) <i>cornicis</i> (MICHAELSEN, 1899)	MICHAELSEN 1900	L
<i>crassa</i> BEDDARD, 1893; <i>Benhamia</i> MICHAELSEN, 1889	<i>Dichogaster</i> ( <i>Diplothecodrilus</i> ) <i>affinis</i> (MICHAELSEN, 1890)	CSUZDI & ZICSI 1989	T
<i>crateris</i> MICHAELSEN, 1912; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster</i> ( <i>Diplothecodrilus</i> ) <i>crateris</i> MICHAELSEN, 1912	CSUZDI, in press	T
<i>eravii</i> EISEN, 1900; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster</i> ( <i>Diplothecodrilus</i> ) <i>eravii</i> (BEDDARD, 1893)	STEPHENSON 1931	L
<i>erucinervis</i> SIMS, 1886; <i>Miltsonia</i> BEDDARD, 1894	<i>Miltsonia erucinervis</i> SIMS, 1886	CSUZDI, in press	T
<i>culminis</i> MICHAELSEN, 1896; <i>Benhamia</i> MICHAELSEN, 1889	<i>Dichogaster</i> ( <i>Diplothecodrilus</i> ) <i>culminis</i> (MICHAELSEN, 1896)	MICHAELSEN 1900, CSUZDI, in press	T
<i>cultifera</i> MICHAELSEN, 1903; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster</i> ( <i>Diplothecodrilus</i> ) <i>cultifera</i> MICHAELSEN, 1903	CSUZDI, in press	T
<i>curgensis</i> MICHAELSEN, 1921; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster</i> ( <i>Diplothecodrilus</i> ) <i>anteae</i> (HORST, 1893)	syn.n.	T
<i>curtaria</i> MICHAELSEN, 1896; <i>Benhamia</i> MICHAELSEN, 1889	<i>Dichogaster</i> ( <i>Diplothecodrilus</i> ) <i>anteae</i> (HORST, 1893)	MICHAELSEN 1900, CSUZDI, in press	T
<i>cystocarpella</i> COGNETTI, 1910; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster</i> ( <i>Diplothecodrilus</i> ) <i>cystocarpa</i> COGNETTI, 1910	CSUZDI, in press	T
<i>demonitaca</i> COGNETTI, 1907; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster</i> ( <i>Diplothecodrilus</i> ) <i>demonitaca</i> COGNETTI, 1907	CSUZDI, in press	T
<i>damonis</i> BEDDARD, 1888; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster</i> ( <i>Dichogaster</i> ) <i>damonis</i> BEDDARD, 1888	L	L
<i>decorata</i> GRAFF, 1957; <i>Dichogaster</i> BEDDARD, 1888	<i>Eurigaster</i> ( <i>Eurigaster</i> ) <i>vitalis</i> (MICHAELSEN, 1912)	syn.n.	L
<i>deflecticista</i> MICHAELSEN, 1935; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster</i> ( <i>Diplothecodrilus</i> ) <i>deflecticista</i> MICHAELSEN, 1935	CSUZDI, in press	L
<i>dewittae</i> CSUZDI & ZICSI, 1994; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster</i> ( <i>Diplothecodrilus</i> ) <i>dewittae</i> CSUZDI & ZICSI, 1994	CSUZDI, in press	T
<i>ditheca</i> SIMS, 1865; <i>Miltsonia</i> BEDDARD, 1894	<i>Miltsonia ditheca</i> SIMS, 1965	T	T
<i>ditheca</i> OMODEO, 1958; <i>Pickfordia</i> ditheca OMODEO, 1958	<i>Pickfordia</i> ( <i>Pickfordia</i> ) <i>ditheca</i> OMODEO, 1958	CSUZDI 1993	L
<i>divergens</i> COGNETTI, 1905; <i>Nothodrilus</i> MICHAELSEN, 1899	<i>Pickfordia</i> ( <i>Omodescolex</i> ) <i>d. divergens</i> (COGNETTI, 1905)	CSUZDI 1993	O
<i>divergens</i> itapeu RIGHI & al., 1978; <i>Wegeneriana</i> MICHAELSEN, 1933	<i>Pickfordia</i> ( <i>Omodescolex</i> ) <i>d. itapeu</i> (RIGHI & al., 1978)	CSUZDI 1993	O
<i>djemdeniensis</i> STEPHENSON, 1932; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster</i> ( <i>Diplothecodrilus</i> ) <i>djemdeniensis</i> STEPHENSON, 1932	CSUZDI, in press	T
<i>dokonensis</i> MICHAELSEN, 1903; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster</i> ( <i>Diplothecodrilus</i> ) <i>dokonensis</i> MICHAELSEN, 1903	CSUZDI, in press	T
<i>dominicensis</i> LAVELLE, 1981; <i>Agastrotrochus</i> VAILLAUD, 1967	<i>Agastrotrochus dominicensis</i> LAVELLE, 1981	STEPHENSON 1931a	T
<i>dorsalis</i> MICHAELSEN, 1915; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster</i> ( <i>Diplothecodrilus</i> ) <i>modiglianii</i> (MICHAELEN, 1896)	STEPHENSON 1931a	T
<i>doveri</i> STEPHENSON, 1930; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster</i> ( <i>Diplothecodrilus</i> ) <i>modiglianii</i> (MICHAELEN, 1896)	STEPHENSON 1931a	T

original names	valid names	references
<i>duwonicae</i> COGNETTI, 1907; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diphlothecodrilus) culminis</i> (MICHAELSEN, 1896)	T
<i>dzwilloi</i> CSUZDI & ZICSI, 1989; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diphlothecodrilus) dzwilloi</i> CSUZDI & ZICSI, 1989	T
<i>ehrhardti</i> MICHAELSEN, 1898; <i>Balania</i> MICHAELSEN, 1898	<i>Dichogaster (Dichogaster) ehrhardti</i> (MICHAELSEN, 1898)	T
<i>eiseni</i> CSUZDI & ZICSI, 1991; <i>Eurigaster (Graffia)</i> CSUZDI & ZICSI, 1991	<i>Dichogaster (Graffia) eiseni</i> CSUZDI & ZICSI, 1991	T
<i>elgonensis</i> MICHAELSEN, 1937; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diphlothecodrilus) elgonensis</i> MICHAELSEN, 1937	T
<i>equatorialis</i> MICHAELSEN, 1896; <i>Benthamia</i> MICHAELSEN, 1889	<i>Dichogaster (Diphlothecodrilus) aequatorialis</i> (MICHAELSEN, 1896)	T
<i>enchyrtaria</i> OMODEO, 1958; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Dichogaster) enchyrtaria</i> OMODEO, 1958	L
<i>erlangeri</i> MICHAELSEN, 1903; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diphlothecodrilus) erlangeri</i> MICHAELSEN, 1903	T
<i>ernestii</i> MICHAELSEN, 1897; <i>Benthamia</i> MICHAELSEN, 1889	<i>Dichogaster (Diphlothecodrilus) ernestii</i> (MICHAELSEN, 1897)	T
<i>esca</i> STEPHENSON, 1931; <i>Dichogaster</i> BEDDARD, 1888	<i>Benhamonia esca</i> (STEPHENSON, 1931)	T
<i>eudrilina</i> COGNETTI, 1909; <i>Dichogaster</i> BEDDARD, 1888	<i>Milsonia nigra</i> BEDDARD, 1894	L
<i>excella</i> COGNETTI, 1907; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diphlothecodrilus) excella</i> COGNETTI, 1907	T
<i>fulleri</i> COGNETTI, 1910; <i>Dichogaster</i> BEDDARD, 1888	<i>Onmodaea fallax</i> (COGNETTI, 1910)	T
<i>feae</i> COGNETTI, 1910; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Dichogaster) feae</i> COGNETTI, 1910	T
<i>fici</i> MICHAELSEN, 1934; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diphlothecodrilus) coniga</i> (HORST, 1894)	L
<i>flagellifera</i> STEPHENSON, 1933; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diphlothecodrilus) flagellifera</i> STEPHENSON, 1933	O
<i>flandria</i> MICHAELSEN, 1936; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diphlothecodrilus) flandria</i> MICHAELSEN, 1936	L
<i>foenaria</i> HORST, 1893; <i>Benthamia</i> MICHAELSEN, 1889	<i>Dichogaster (Diphlothecodrilus) foenaria</i> (MICHAELSEN, 1890)	T
<i>foenaria</i> MICHAELSEN, 1932; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diphlothecodrilus) foenitis</i> MICHAELSEN, 1932	L
<i>franzi</i> CSUZDI & ZICSI, 1991; <i>Eurigaster (Eurigaster)</i> COGNETTI, 1904	<i>Eurigaster (Eurigaster) monticyanensis</i> SIMS, 1987,	T
<i>frickeri</i> MICHAELSEN, 1912; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diphlothecodrilus) frickeri</i> MICHAELSEN, 1912	T
<i>fulia</i> SIMS, 1967; <i>Benthamia</i> MICHAELSEN, 1889	<i>Guineoscolea fulamensis</i> (COGNETTI, 1910)	T
<i>gabunensis</i> MICHAELSEN, 1915; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diphlothecodrilus) gabunensis</i> MICHAELSEN, 1915	T
<i>gagozoi</i> MICHAELSEN, 1908; <i>Dichogaster</i> BEDDARD, 1888	<i>Eurigaster (Graffia) gagozoi</i> (MICHAELSEN, 1908)	T
<i>gambianensis</i> BEDDARD, 1902; <i>Benthamia</i> MICHAELSEN, 1889	<i>Benthamonia gambiana</i> (BEDDARD, 1902)	L
<i>gardulensis</i> MICHAELSEN, 1903; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diphlothecodrilus) gardulaensis</i> MICHAELSEN, 1903	T
<i>gavrilovi</i> RIGHI & CABALLERO, 1970; <i>Negastri</i> CERNOSITOV, 1934	<i>Negaster gavrilovi</i> RIGHI & CABALLERO, 1970	L
<i>gestri</i> COGNETTI, 1965; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Dichogaster) gestri</i> COGNETTI, 1910	L
<i>ghanensis</i> SIMS, 1965; <i>Milsonia</i> BEDDARD, 1894	<i>Milsonia ghanensis</i> SIMS, 1965	L
<i>godetroyi</i> MICHAELSEN, 1890; <i>Benthamia</i> MICHAELSEN, 1889	<i>Eurigaster (Graffia) godetroyi</i> (MICHAELSEN, 1890)	T
<i>goefensis</i> MICHAELSEN, 1903; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diphlothecodrilus) goefensis</i> MICHAELSEN, 1903	T
<i>guatemalensis</i> MICHAELSEN, 1913; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Dichogaster) guatemalensis</i> MICHAELSEN, 1913	T
<i>gracilis</i> MICHAELSEN, 1892; <i>Benthamia</i> MICHAELSEN, 1889	<i>Dichogaster (Diphlothecodrilus) gracilis</i> (MICHAELSEN, 1892)	T
<i>gracilis</i> v. <i>metandra</i> OMODEO, 1973; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diphlothecodrilus) gracilis</i> (MICHAELSEN, 1892)	O
<i>hamatus</i> STEPHENSON, 1932; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Dichogaster) griffi</i> CSUZDI & ZICSI, 1989	L
<i>grandis</i> SIMS, 1987; <i>Eurigaster</i> COGNETTI, 1904	<i>Eurigaster (Eurigaster) grandis</i> SIMS, 1987	T
<i>griffii</i> MICHAELSEN, 1902; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Dichogaster) griffii</i> MICHAELSEN, 1902	T
<i>guatemalae</i> EISEN, 1900; <i>Benthamia</i> MICHAELSEN, 1889	<i>Eurigaster (Graffia) guatemalae</i> (EISEN, 1900)	O
<i>gutetiae</i> RIGHI & MERINO, 1987; <i>Dichogaster</i> BEDDARD, 1888	<i>Eurigaster (Eurigaster) gutetiae</i> (RIGHI & MERINO, 1987)	L
<i>guidingii</i> BARD, 1871; <i>Lumbrylica</i> LINNAEUS, 1758	<i>Dichogaster (Diphlothecodrilus) guidingii</i> (BARD, 1871)	comb.n.
<i>hamburgensis</i> OMODEO, 1958; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diphlothecodrilus) kiegiana</i> STEPHENSON, 1933	T

original names	valid names	references
<i>hansi</i> MICHAELSEN, 1914; <i>Dichogaster</i> BEDDARD, 1888 <i>harmeyeri</i> MICHAELSEN, 1908; <i>Dichogaster</i> BEDDARD, 1888 <i>hatomiana</i> OHUCHI, 1937; <i>Dichogaster</i> BEDDARD, 1888 <i>hemiantra</i> OMODEO, 1973; <i>Dichogaster</i> BEDDARD, 1888 hemibalanitina OMODEO, 1958; <i>Picifordia</i> OMODEO, 1958 <i>hennina</i> SIMS, 1965; <i>Millsonia</i> BEDDARD, 1894 heterochaeta MICHAELSEN, 1922; <i>Dichogaster</i> BEDDARD, 1888 <i>heterophpha</i> MICHAELSEN, 1897; <i>Benthania</i> MICHAELSEN, 1899 <i>hilarii</i> COGNETTI, 1904; <i>Dichogaster</i> BEDDARD, 1888 horsti MICHAELSEN, 1898; <i>Benthania</i> MICHAELSEN, 1899 <i>hortensis</i> SIMS, 1986; <i>Millsonia</i> BEDDARD, 1894 huberti MICHAELSEN, 1891; <i>Dichogaster</i> BEDDARD, 1888 ibaria RICHLI, AYRES & BRITTON, 1928; <i>Dichogaster</i> BEDDARD, 1888 <i>inequalis</i> MICHAELSEN, 1914; <i>Dichogaster</i> BEDDARD, 1888 <i>inqualis</i> f. <i>nimbai</i> OMODEO, 1958; <i>Benthania</i> MICHAELSEN, 1889 <i>internis</i> MICHAELSEN, 1892; <i>Benthania</i> MICHAELSEN, 1889 <i>internis</i> v. <i>guttata</i> MICHAELSEN, 1913; <i>Dichogaster</i> BEDDARD, 1888 <i>insolitus</i> MICHAELSEN, 1922; <i>Dichogaster</i> BEDDARD, 1888 <i>insolitus</i> SIMS, 1986; <i>Agastridilus</i> OMODEO & VAILLARD, 1967 <i>insularis</i> MICHAELSEN, 1895; <i>Benthania</i> MICHAELSEN, 1889 <i>insulsa</i> COGNETTI, 1910; <i>Dichogaster</i> BEDDARD, 1888 <i>intermedia</i> MICHAELSEN, 1891; <i>Benthania</i> MICHAELSEN, 1889 <i>itolensis</i> MICHAELSEN, 1892; <i>Benthania</i> MICHAELSEN, 1889 <i>itolensis</i> v. <i>cruelaea</i> MICHAELSEN, 1899; <i>Benthania</i> MICHAELSEN, 1889 <i>itolensis</i> v. <i>minor</i> STEPHENSON, 1933; <i>Dichogaster</i> BEDDARD, 1888 <i>jacutaria</i> BAYLIS, 1915; <i>Dichogaster</i> BEDDARD, 1888 <i>jadwigae</i> SIMS, 1986; <i>Millsonia</i> BEDDARD, 1894 <i>jamaicae</i> EISEN, 1900; <i>Benthania</i> MICHAELSEN, 1889 <i>jordanii</i> BEDDARD, 1901; <i>Benthania</i> MICHAELSEN, 1889 <i>kaburomima</i> MICHAELSEN, 1937; <i>Dichogaster</i> BEDDARD, 1888 <i>kaffauensis</i> MICHAELSEN, 1903; <i>Dichogaster</i> BEDDARD, 1888 <i>kafururensis</i> MICHAELSEN, 1914; <i>Dichogaster</i> BEDDARD, 1888 <i>kakulimana</i> MICHAELSEN, 1912; <i>Dichogaster</i> BEDDARD, 1888 <i>karakoense</i> MICHAELSEN, 1912; <i>Dichogaster</i> BEDDARD, 1888 <i>karisimbii</i> MICHAELSEN, 1912; <i>Dichogaster</i> BEDDARD, 1888 <i>katangae</i> MICHAELSEN, 1915; <i>Dichogaster</i> BEDDARD, 1888 <i>keiheli</i> MICHAELSEN, 1898; <i>Benthania</i> MICHAELSEN, 1889 kephi RICHLI & MERINO, 1987; <i>Dichogaster</i> BEDDARD, 1888 kenyea MICHAELSEN, 1914; <i>Dichogaster</i> BEDDARD, 1888 <i>kgogozana</i> STEPHENSON, 1933; <i>Dichogaster</i> BEDDARD, 1888 <i>kindiana</i> MICHAELSEN, 1914; <i>Dichogaster</i> BEDDARD, 1888	<i>Benthaniota hansi</i> (MICHAELSEN, 1914) <i>Eutrigaster</i> ( <i>Graeffia</i> ) <i>harmeyeri</i> (MICHAELSEN, 1908) <i>Dichogaster</i> ( <i>Diplothecodrilus</i> ) <i>bolani</i> (MICHAELSEN, 1891) <i>Dichogaster</i> ( <i>Diplothecodrilus</i> ) <i>hemiantra</i> OMODEO, 1973 <i>Picifordia</i> ( <i>Picifordia</i> ) <i>hemibalanitina</i> OMODEO, 1958 <i>Millsonia hennina</i> SIMS, 1965 <i>Dichogaster</i> ( <i>Diplothecodrilus</i> ) <i>heterochaeta</i> MICHAELSEN, 1922 <i>Millsonia heterophpha</i> (MICHAELSEN, 1897) <i>Eutrigaster</i> ( <i>Eutrigaster</i> ) <i>hilarii</i> (COGNETTI, 1904) <i>Benthaniota horsti</i> (MICHAELSEN, 1898) <i>Millsonia hortensis</i> SIMS, 1986 <i>Benthaniota hupferi</i> (MICHAELSEN, 1891) <i>Dichogaster</i> ( <i>Diplothecodrilus</i> ) <i>ibaria</i> RICHLI & AL., 1978 <i>Guinerescolex inequalis</i> (MICHAELSEN, 1914) <i>Guinerescolex inequalis</i> (MICHAELSEN, 1914) <i>Millsonia internis</i> (MICHAELSEN, 1892) <i>Millsonia guttata</i> (MICHAELSEN, 1913) sp. inc. sed. <i>Agastridilus insolitus</i> SIMS, 1986 <i>Dichogaster</i> ( <i>Diplothecodrilus</i> ) <i>insulsa</i> (MICHAELSEN, 1895) <i>Dichogaster</i> ( <i>Diplothecodrilus</i> ) <i>insulsa</i> COGNETTI, 1910 <i>Dichogaster</i> ( <i>Diplothecodrilus</i> ) <i>intermedia</i> (MICHAELSEN, 1891) <i>Benthaniota italensis</i> MICHAELSEN, 1892 <i>Benthaniota italensis</i> MICHAELSEN, 1892 <i>Benthaniota italensis</i> MICHAELSEN, 1892 <i>Benthaniota italensis</i> MICHAELSEN, 1892 <i>Benthaniota italensis</i> MICHAELSEN, 1892 <i>Millsonia jadwigae</i> SIMS, 1986 <i>Dichogaster</i> ( <i>Diplothecodrilus</i> ) <i>jamaicae</i> (EISEN, 1900) <i>Benthaniota italensis</i> MICHAELSEN, 1892 <i>Dichogaster</i> ( <i>Diplothecodrilus</i> ) <i>jordanii</i> MICHAELSEN, 1937 <i>Dichogaster</i> ( <i>Diplothecodrilus</i> ) <i>kaburomima</i> MICHAELSEN, 1937 <i>Dichogaster</i> ( <i>Diplothecodrilus</i> ) <i>kaffauensis</i> MICHAELSEN, 1903 <i>Dichogaster</i> ( <i>Diplothecodrilus</i> ) <i>modiglianii</i> (ROSA, 1896) sp. inc. sed. <i>Dichogaster</i> ( <i>Diplothecodrilus</i> ) <i>karagoensis</i> MICHAELSEN, 1912 <i>Dichogaster</i> ( <i>Diplothecodrilus</i> ) <i>karisimbii</i> MICHAELSEN, 1912 <i>Dichogaster</i> ( <i>Diplothecodrilus</i> ) <i>katangae</i> MICHAELSEN, 1915 <i>Eutrigaster</i> ( <i>Graeffia</i> ) <i>keiheli</i> (MICHAELSEN, 1898) <i>Eutrigaster</i> ( <i>Eutrigaster</i> ) <i>tepo</i> (RICHLI & MERINO, 1987) <i>Dichogaster</i> ( <i>Diplothecodrilus</i> ) <i>elangeri</i> MICHAELSEN, 1903 <i>Dichogaster</i> ( <i>Diplothecodrilus</i> ) <i>kgogozana</i> STEPHENSON, 1933 <i>Benthaniota kindiana</i> (MICHAELSEN, 1914)	CSUZDI & ZICSI 1994 CSUZDI & ZICSI 1991 SYN.n. CSUZDI, in press OMODEO 1953a SIMS 1987 CSUZDI & ZICSI 1994 CSUZDI, in press OMODEO 1955a SIMS 1986 SIMS 1986 MICHAELSEN 1900 CSUZDI, in press CSUZDI, in press OMODEO 1955a SIMS 1986 SIMS 1986 COGNETTI 1909 CSUZDI, in press COGNETTI 1909 SYN.n. STEPHENSON 1933 MICHAELSEN 1900, CSUZDI, in press COGNETTI 1909 CSUZDI, in press CSUZDI, in press CSUZDI, in press CSUZDI & ZICSI 1994 CSUZDI, in press OMODEO 1958 CSUZDI, in press CSUZDI, in press CSUZDI & ZICSI 1991 CSUZDI & ZICSI 1991 SYN.n. CSUZDI, in press

original names	valid names	references
<i>kiwiensis</i> MICHAELSEN, 1912; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocodrilus) kiwiensis</i> MICHAELSEN, 1912	Csuzdi, in press
<i>kruegeri</i> REINECKE & ACKERMANN, 1977; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocodrilus) kruegeri</i> REINECKE & ACKERMANN, 1977	T
<i>kungulensis</i> MICHAELSEN, 1915; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocodrilus) kungulensis</i> MICHAELSEN, 1915	L
<i>kwidschwiensis</i> MICHAELSEN, 1912; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocodrilus) kwidschwiensis</i> MICHAELSEN, 1912	T
<i>lageniformis</i> FRIEND, 1916; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocodrilus) bolhai</i> (MICHAELSEN, 1891)	T
<i>lamontei</i> OMODEO, 1958; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Dichogaster) lamontei</i> OMODEO, 1958	L
<i>lantioiana</i> OMODEO & VAILLAUD, 1967; <i>Milsonia</i> BEDDARD, 1894	<i>Milsonia lantioiana</i> OMODEO & VAILLAUD, 1967	O
<i>lavellei</i> SIMS, 1986; <i>Agastretridius</i> OMODEO & VAILLAUD, 1967	<i>Agastretridius lavellei</i> Sims, 1986	T
<i>lavellei</i> CSUZDI, 1992; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocodrilus) lavellei</i> CSUZDI, 1992	T
<i>leroyi</i> OMODEO, 1958; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Dichogaster) leroyi</i> OMODEO, 1958	L
<i>liberiensis</i> HORST, 1895; <i>Benhamia</i> MICHAELSEN, 1889	<i>Benhamia liberiensis</i> (HORST, 1895)	L
<i>ligula</i> SIMS, 1964; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Dichogaster) ligula</i> Sims, 1964	T
<i>liveri</i> RIGHI, 1972; <i>Dichogaster</i> BEDDARD, 1888	<i>Eurigaster (Eurigaster) liveri</i> (RIGHI, 1972)	T
<i>lituifera</i> MICHAELSEN, 1903; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocodrilus) lituifera</i> MICHAELSEN, 1903	L
<i>loboztiana</i> MICHAELSEN, 1915; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocodrilus) loboztiana</i> MICHAELSEN, 1915	T
<i>lofensis</i> MICHAELSEN, 1914; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Dichogaster) lofensis</i> MICHAELSEN, 1914	T
<i>loveridgei</i> STEPHENSON, 1933; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocodrilus) austeni</i> (BEDDARD, 1901)	T
<i>lombnergi</i> MICHAELSEN, 1912; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocodrilus) lombnergi</i> MICHAELSEN, 1912	O
<i>luifera</i> MICHAELSEN, 1935; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocodrilus) luifera</i> MICHAELSEN, 1935	L
<i>lukfuiensis</i> MICHAELSEN, 1935; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocodrilus) lukfuiensis</i> MICHAELSEN, 1935	T
<i>macadumi</i> CSUZDI, 1991; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocodrilus) macadumi</i> CSUZDI, 1991	T
<i>machadoi</i> OMODEO, 1973; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocodrilus) machadoi</i> OMODEO, 1973	L
<i>magnistriosa</i> OMODEO, 1958; <i>Pickfordia</i> OMODEO, 1958	<i>Pickfordia (Pickfordia) magnistriosa</i> OMODEO, 1958	T
<i>majoris</i> MICHAELSEN, 1914; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Dichogaster) majoris</i> MICHAELSEN, 1914	L
<i>malamata</i> ROSA, 1898; <i>Benhamia</i> MICHAELSEN, 1889	<i>Dichogaster (Dichogaster) malamata</i> (ROSA, 1898)	O
<i>malayana</i> HORST, 1893; <i>Benhamia</i> MICHAELSEN, 1889	<i>Dichogaster (Diplotheocodrilus) bolhai</i> (MICHAELSEN, 1891)	L
<i>manitaboi</i> OMODEO, 1958; <i>Benthania</i> MICHAELSEN, 1889	<i>Guineoscolex manitaboi</i> (OMODEO, 1958)	T
<i>mandinka</i> SIMS, 1967; <i>Benthania</i> MICHAELSEN, 1889	<i>Guineoscolex mandinka</i> (COOPERETTI, 1910)	L
<i>mangerti</i> MICHAELSEN, 1913; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Dichogaster) mangerti</i> MICHAELSEN, 1913	T
<i>manni</i> MICHAELSEN, 1935; <i>Dichogaster</i> BEDDARD, 1888	<i>Eurigaster (Graffia) manni</i> (MICHAELSEN, 1935)	L
<i>mansfeldii</i> MICHAELSEN, 1915; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocodrilus) mundanensis</i> (MICHAELSEN, 1897)	L
<i>medellina</i> MICHAELSEN, 1914; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocodrilus) medellina</i> MICHAELSEN, 1914	O
<i>meridionalis</i> OMODEO, 1973; <i>Milsonia</i> BEDDARD, 1894	<i>Milsonia meridionalis</i> OMODEO, 1973	L
<i>mexicana</i> ROSA, 1891; <i>Benhamia</i> MICHAELSEN, 1889	<i>Dichogaster (Diplotheocodrilus) effinii</i> (MICHAELSEN, 1890)	T
<i>mayaensis</i> CSUZDI & ZICSI, 1989; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocodrilus) mayensis</i> CSUZDI & ZICSI, 1989	T
<i>michaelensi</i> CERNOSVITOV, 1934; <i>Wegereria</i> MICHAELSEN, 1933	<i>Wegereria</i> <i>michaelensi</i> (CERNOSVITOV, 1934)	L
<i>michaelseniana</i> CSUZDI & ZICSI, 1991; <i>Eurigaster</i> (Graffia) CSUZDI & ZICSI, 1991	<i>Eurigaster (Graffia) michaelseniana</i> CSUZDI & ZICSI, 1991	T
<i>michaelseni</i> BEDDARD, 1902; <i>Benthania</i> MICHAELSEN, 1889	<i>Benthania michaelseni</i> (BEDDARD, 1902)	L
<i>microscelicina</i> OMODEO, 1958; <i>Benthania</i> MICHAELSEN, 1889	<i>Guineoscolex microscelicina</i> (OMODEO, 1958)	L
<i>minus</i> MICHAELSEN, 1891; <i>Dichogaster</i> BEDDARD, 1888	<i>Milsonia minus</i> (MICHAELSEN, 1891)	L
<i>minuscula</i> OMODEO, 1958; <i>Benthania</i> MICHAELSEN, 1889	<i>Guineoscolex minuscula</i> (OMODEO, 1958)	L
<i>misericansis</i> MICHAELSEN, 1897; <i>Dichogaster</i> BEDDARD, 1888	<i>Benthania misericansis</i> (MICHAELSEN, 1897)	T
<i>moderata</i> SIMS, 1986; <i>Milsonia</i> BEDDARD, 1894	<i>Milsonia moderata</i> SIMS, 1986	T

original names	valid names	references
<i>modesta</i> MICHAELSEN, 1903; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocdrilus) modesta</i> MICHAELSEN, 1903	T Csuzdi, in press
<i>modigliani</i> Csuzdi & Zicsi, 1989; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocdrilus) papillifera</i> Csuzdi & Zicsi, 1989	T Csuzdi, in press
<i>modigliani</i> ROSA, 1896; <i>Benhamia</i> MICHAELSEN, 1889	<i>Benhamia inornata</i> MICHAELSEN, 1896	O MICHAELSEN 1900, Csuzdi, in press
<i>mollis</i> BEDDARD, 1901; <i>Benhamia</i> MICHAELSEN, 1889	<i>Benhamia monotheca</i> OMODEO, 1955	T MICHAELSEN 1912
<i>monotheca</i> OMODEO, 1955; <i>Wegeneriella (Wegeneriella)</i> MICHAELSEN, 1933	<i>Wegeneriella monotheca</i> OMODEO, 1955	L
<i>montana</i> Csuzdi & Zicsi, 1991; <i>Eutrigaster (Graffia)</i> CSUZDI & ZICSI, 1991	<i>Eutrigaster (Graffia) montana</i> Csuzdi & Zicsi, 1991	T T
<i>montecyanensis</i> SIMS, 1887; <i>Eutrigaster</i> COGNETTI, 1904	<i>Eutrigaster (Eutrigaster) montecyanensis</i> SIMS, 1887	T Csuzdi & Zicsi 1994
<i>monticella</i> OMODEO, 1958; <i>Benhamia</i> MICHAELSEN, 1889	<i>Monothecodrilus monticella</i> (OMODEO, 1958)	L syn.n.
<i>monticella</i> COGNETTI, 1915; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocdrilus) austeni</i> (BEDDARD, 1901)	L MICHAELSEN 1900, Csuzdi, in press
<i>monticola</i> MICHAELSEN, 1896; <i>Benhamia</i> MICHAELSEN, 1889	<i>Dichogaster (Diplotheocdrilus) monticola</i> (MICHAELSEN, 1896)	L syn.n.
<i>montis-rai</i> OMODEO, 1958; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Dichogaster) insularis</i> (MICHAELSEN, 1895)	L Cognetti 1909
<i>moorii</i> BEDDARD, 1901; <i>Benhamia</i> MICHAELSEN, 1889	<i>Benhamia italensis</i> MICHAELSEN, 1892	T Csuzdi, in press
<i>multiana</i> MICHAELSEN, 1903; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocdrilus) multianaensis</i> MICHAELSEN, 1903	T L
<i>multivirgulatus</i> OMODEO & VAILLAUD, 1967; <i>Aegastridulus</i> OMODEO & VAILLAUD, 1967	<i>Aegastridulus multivirgulatus</i> OMODEO & VAILLAUD, 1967	L L
<i>mundanensis</i> MICHAELSEN, 1897; <i>Benhamia</i> MICHAELSEN, 1889	<i>Dichogaster (Diplotheocdrilus) mundanensis</i> (MICHAELSEN, 1897)	T Csuzdi, in press
<i>muritiae</i> Csuzdi & Zicsi, 1994; <i>Benhamia</i> Csuzdi & Zicsi, 1994	<i>Benhamia muritiae</i> Csuzdi & Zicsi, 1994	T Csuzdi & Zicsi 1989
<i>nana</i> EISEN, 1896; <i>Benhamia</i> MICHAELSEN, 1889	<i>Dichogaster (Diplotheocdrilus) modiglianii</i> (ROSA, 1896)	T Csuzdi, in press
<i>navaiana</i> MICHAELSEN, 1936; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocdrilus) navaiana</i> MICHAELSEN, 1936	O L
<i>nematophaga</i> OMODEO, 1958; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Dichogaster) nematophaga</i> OMODEO, 1958	L L
<i>neumannii</i> MICHAELSEN, 1897; <i>Benhamia</i> MICHAELSEN, 1889	<i>Dichogaster (Diplotheocdrilus) neumannii</i> (MICHAELSEN, 1897)	T MICHAELSEN 1900, Csuzdi, in press
<i>nigra</i> BEDDARD, 1894; <i>Miltsonia</i> BEDDARD, 1894	<i>Miltsonia nigra</i> BEDDARD, 1894	T T
<i>nietesi</i> SIMS, 1986; <i>Miltsonia</i> BEDDARD, 1894	<i>Miltsonia nietesi</i> SIMS, 1986	T T
<i>noia</i> SIMS, 1986; <i>Miltsonia</i> BEDDARD, 1894	<i>Miltsonia nota</i> SIMS, 1986	T T
<i>nobilis</i> OMODEO, 1958; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Dichogaster) notabilis</i> OMODEO, 1958	L L
<i>nyassana</i> MICHAELSEN, 1913; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocdrilus) frickei</i> MICHAELSEN, 1912	T T
<i>octonothra</i> ROSA, 1895; <i>Benhamia</i> MICHAELSEN, 1889	<i>Dichogaster (Diplotheocdrilus) bolivi</i> (MICHAELSEN, 1891)	O T
<i>omodei</i> SIMS, 1986; <i>Miltsonia</i> BEDDARD, 1894	<i>Miltsonia omodei</i> SIMS, 1986	L T
<i>opisthogynus</i> OMODEO & VAILLAUD, 1967; <i>Aegastridulus</i> OMODEO & VAILLAUD, 1967	<i>Aegastridulus opisthogynus</i> OMODEO & VAILLAUD, 1967	L T
<i>oracapensis</i> SIMS, 1986; <i>Miltsonia</i> BEDDARD, 1894	<i>Miltsonia oracapensis</i> SIMS, 1986	L T
<i>oracapensis</i> COGNETTI, 1904; <i>Eutrigaster</i> COGNETTI, 1904	<i>Eutrigaster (Eutrigaster) oracapensis</i> COGNETTI, 1904	L Csuzdi & Zicsi 1994
<i>oracapensis</i> COGNETTI, 1952; <i>Dichogaster</i> BEDDARD, 1888	<i>Eutrigaster (Eutrigaster) orobia</i> (GRAFF, 1957)	L SIMS 1987
<i>orbicia</i> GRAFF, 1957; <i>Dichogaster</i> BEDDARD, 1888	<i>Eutrigaster (Graffia) viridis</i> (EBEN, 1900)	L Csuzdi & Zicsi 1991
<i>paesteri</i> MICHAELSEN, 1910; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocdrilus) austeni</i> (BEDDARD, 1901)	T T
<i>pafuriensis</i> REINECKE & ACKERMANN, 1977; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocdrilus) gracilis</i> (MICHAELSEN, 1892)	L MICHAELSEN 1907
<i>pallida</i> MICHAELSEN, 1892; <i>Benhamia</i> MICHAELSEN, 1889	<i>Dichogaster (Diplotheocdrilus) modiglianii</i> (ROSA, 1896)	L OMODEO 1973
<i>papillata</i> EISEN, 1896; <i>Benhamia</i> MICHAELSEN, 1889	<i>Dichogaster (Diplotheocdrilus) modiglianii</i> (ROSA, 1896)	L OMODEO 1973
<i>papillata</i> v. <i>haworthiensis</i> EISEN, 1900; <i>Benhamia</i> MICHAELSEN, 1889	<i>Dichogaster (Diplotheocdrilus) papillosa</i> OMODEO, 1958	L L
<i>papillosa</i> OMODEO, 1958; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocdrilus) annae</i> (HOKST, 1893)	T T
<i>parva</i> MICHAELSEN, 1896; <i>Benhamia</i> MICHAELSEN, 1889	<i>Dichogaster (Diplotheocdrilus) pauliani</i> CSUZDI & ZICSI, 1989	L L
<i>pauliani</i> Csuzdi & Zicsi, 1989; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Dichogaster) penigera</i> OMODEO, 1958	T T
<i>pengera</i> OMODEO, 1958; <i>Dichogaster</i> BEDDARD, 1888	<i>Eutrigaster (Graffia) picadii</i> (MICHAELSEN, 1912)	L L
<i>pictoides</i> MICHAELSEN, 1912; <i>Dichogaster</i> BEDDARD, 1888	<i>Benhamia pinguis</i> (COGNETTI, 1910)	T T
<i>pinguis</i> COGNETTI, 1910; <i>Dichogaster</i> BEDDARD, 1888	<i>Benhamia pinguis</i> (COGNETTI, 1910)	T Csuzdi & Zicsi 1994

original names	valid names	references	4
<i>pitahayana</i> MICHAELSEN, 1912; <i>Dichogaster</i> BEDDARD, 1888 piatti CSUDZI & ZICSI, 1994; <i>Benthiamina</i> CSUDZI & ZICSI, 1994	<i>Dichogaster (Diplotheocdrilus) tristani</i> COGNETTI, 1907 <i>Benthiamina pittri</i> CSUDZI & ZICSI, 1994	T T	T
<i>phobazyne</i> CSUDZI, 1994; <i>Eutrigaster (Eutrigaster) Cognetti</i> , 1904	<i>Eutrigaster (Eutrigaster) phobazyne</i> CSUDZI, 1994	T	T
<i>poenensis</i> COGNETTI, 1910; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Dichogaster) poenensis</i> COGNETTI, 1910	L	L
<i>principes</i> COGNETTI, 1910; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocdrilus) princeps</i> COGNETTI, 1910	T	T
<i>prionandra</i> OMODEO, 1958; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Dichogaster) prionandra</i> OMODEO, 1958	L	L
<i>proboscideus</i> MICHAELSEN, 1967; <i>Omodeania</i> SIMS, 1967	<i>Omodeania fallax</i> ( <i>Diplotheocdrilus</i> ) <i>proboscideus</i> MICHAELSEN, 1897	T	T
<i>pseudoplantaria</i> OMODEO, 1958; <i>Pickfordia</i> BEDDARD, 1888	<i>Pickfordia (PICKFORDIA) pseudoplantaria</i> OMODEO, 1958	O	O
<i>pubiliaris</i> SIMS, 1986; <i>Miltsonia</i> BEDDARD, 1894	<i>Miltsonia pubiliaris</i> SIMS, 1986	L	L
<i>pumila</i> SIMS, 1965; <i>Miltsonia</i> BEDDARD, 1894	<i>Miltsonia pumila</i> SIMS, 1965	T	T
<i>plaudenti</i> CSUDZI & ZICSI, 1994; <i>Benthiamina</i> CSUDZI & ZICSI, 1994	<i>Benthiamina plaudenti</i> CSUDZI & ZICSI, 1994	T	T
<i>reducta</i> SIMS, 1967; <i>Benthmia</i> MICHAELSEN, 1889	<i>Monotheocdrilus reductus</i> (SIMS, 1967)	T	T
<i>reichardi</i> MICHAELSEN, 1908; <i>Dichogaster</i> BEDDARD, 1888	<i>Eutrigaster (Graffia) reichardi</i> (MICHAELSEN, 1908)	L	L
<i>reinickeri</i> MICHAELSEN, 1898; <i>Benthmia</i> MICHAELSEN, 1889	<i>Dichogaster (Dichogaster) reinickeri</i> (MICHAELSEN, 1898)	T	T
<i>reinickei v. endemicica</i> MICHAELSEN, 1914; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Dichogaster) endemicica</i> MICHAELSEN, 1914	T	T
<i>ribaucourti</i> EISEN, 1900; <i>Dichogaster</i> BEDDARD, 1888	<i>Eutrigaster (Eutrigaster) ribaucourti</i> (EISEN, 1900)	L	L
<i>riparia</i> SIMS, 1986; <i>Miltsonia</i> BEDDARD, 1894	<i>Miltsonia riparia</i> SIMS, 1986	T	T
<i>robertsoniana</i> MICHAELSEN, 1922; <i>Dichogaster</i> BEDDARD, 1888	<i>Benthiamina robertsoniana</i> (MICHAELSEN, 1922)	T	T
<i>roccatii</i> COGNETTI, 1906; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocdrilus) roccatii</i> COGNETTI, 1906	T	T
<i>rodriguezi</i> CSUDZI, 1994; <i>Eutrigaster (Graffia)</i> CSUDZI & ZICSI, 1991	<i>Eutrigaster (Graffia) rodriguezi</i> CSUDZI, 1994	T	T
<i>rosea</i> MICHAELSEN, 1889; <i>Benthmia</i> MICHAELSEN, 1889	<i>Benthiamina rosea</i> MICHAELSEN, 1889	T	T
<i>rosea f. gunniana</i> OMODEO, 1958; <i>Benthiamia</i> MICHAELSEN, 1889	<i>Benthiamina gunniana</i> (OMODEO, 1958)	L	L
<i>rosae</i> MICHAELSEN, 1935; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocdrilus) kigogana</i> STEPHENSON, 1933	L	L
<i>rubella</i> MICHAELSEN, 1935; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocdrilus) rubella</i> MICHAELSEN, 1935	T	T
<i>rubens</i> BEDDARD, 1894; <i>Miltsonia</i> BEDDARD, 1894	<i>Miltsonia minna</i> (MICHAELSEN, 1891)	L	L
<i>rugesosa</i> EISEN, 1896; <i>Benthmia</i> MICHAELSEN, 1889	<i>Dichogaster (Diplotheocdrilus) bolau</i> (MICHAELSEN, 1891)	T	T
<i>rungweensis</i> STEPHENSON, 1933; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocdrilus) rungweensis</i> STEPHENSON, 1933	L	L
<i>ruwenzorii</i> COGNETTI, 1907; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocdrilus) ruwenzorii</i> COGNETTI, 1907	T	T
<i>saliens</i> BEDDARD, 1893; <i>Microtrilus</i> BEDDARD, 1893	<i>Dichogaster (Diplotheocdrilus) saliens</i> (BEDDARD, 1893)	O	O
<i>sandea</i> MICHAELSEN, 1936; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocdrilus) stuhlmanni</i> (MICHAELSEN, 1890)	T	T
<i>savanicola</i> MICHAELSEN, 1915; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocdrilus) savanicola</i> MICHAELSEN, 1915	Csudzi, in press	Csudzi, in press
<i>scherzerensis</i> MICHAELSEN, 1910; <i>Dichogaster</i> BEDDARD, 1888	<i>Monothecdrilus scherzerensis</i> (MICHAELSEN, 1910)	T	T
<i>schlegelii</i> HORST, 1884; <i>Acanthodrilus</i> PERRIER, 1872	<i>Miltsonia schlegelii</i> (HORST, 1884)	O	O
<i>schomburgkii</i> MICHAELSEN, 1913; <i>Dichogaster</i> BEDDARD, 1888	<i>Benthiamina schomburgkii</i> (MICHAELSEN, 1913)	L	L
<i>schubertia</i> MICHAELSEN, 1912; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocdrilus) schubertia</i> MICHAELSEN, 1912	Csudzi, in press	Csudzi, in press
<i>scutianus</i> ROSA, 1888; <i>Acanthodrilus</i> PERRIER, 1872	<i>sp. inc. sed.</i>	T	T
<i>scotti</i> STEPHENSON, 1932; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocdrilus) scotti</i> STEPHENSON, 1932	Csudzi, in press	Csudzi, in press
<i>sellae</i> COGNETTI, 1907; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocdrilus) immiticola</i> (MICHAELSEN, 1896)	T	T
<i>septendecim</i> OMODEO, 1958; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Dichogaster) septendecim</i> OMODEO, 1958	L	L
<i>seriatospina</i> MICHAELSEN, 1912; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocdrilus) seriatospina</i> MICHAELSEN, 1912	O	O
<i>servi</i> RIGHI & AVREY, 1975; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Diplotheocdrilus) annae</i> (HORSI, 1893)	Csudzi, in press	Csudzi, in press
<i>sexdecim</i> OMODEO, 1958; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster (Dichogaster) sexdecim</i> OMODEO, 1958	syn.n.	syn.n.

original names	valid names	references
<i>silvestrii</i> CSUZDI & ZICSI, 1939; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster</i> ( <i>Dichogaster</i> ) <i>sibiricensis</i> CSUZDI & ZICSI, 1939	T
<i>silvestrii</i> MICHAELSEN, 1914; <i>Dichogaster</i> BEDDARD, 1888	<i>Guineescolex silvestrii</i> (MICHAELSEN, 1914)	T
<i>silvestris</i> MICHAELSEN, 1896; <i>Benhamia</i> MICHAELSEN, 1889	<i>Dichogaster</i> ( <i>Diphlothecodrilus</i> ) <i>silvestris</i> (MICHAELSEN, 1896)	T
<i>silvestris cacaonis</i> RIGHI, 1968; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster</i> ( <i>Diphlothecodrilus</i> ) <i>anna</i> (HORST, 1893)	L
<i>singula</i> OMODEO, 1958; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster</i> ( <i>Dichogaster</i> ) <i>singula</i> OMODEO, 1958	L
<i>sinicus</i> CHEN, 1938; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster</i> ( <i>Diphlothecodrilus</i> ) <i>affinis</i> (MICHAELSEN, 1890)	L
<i>sinuosa</i> STEPHENSON, 1931; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster</i> ( <i>Diphlothecodrilus</i> ) <i>affinis</i> (MICHAELSEN, 1890)	T
<i>sokodaeana</i> MICHAELSEN, 1913; <i>Dichogaster</i> BEDDARD, 1888	<i>Milsonia sokodaeana</i> (MICHAELSEN, 1913)	T
<i>sorosii</i> CSUZDI & ZICSI, 1939; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster</i> ( <i>Diphlothecodrilus</i> ) <i>sorosii</i> CSUZDI & ZICSI, 1939	T
<i>sporadonephra</i> COGNETTI, 1905; <i>Dichogaster</i> BEDDARD, 1888	<i>Eurigaster</i> ( <i>Graffia</i> ) <i>s. sporadonephra</i> (COGNETTI, 1905)	T
<i>sporadonephra disa</i> RIGHI, 1972; <i>Dichogaster</i> BEDDARD, 1888	<i>Eurigaster</i> ( <i>Graffia</i> ) <i>s. disa</i> (RIGHI, 1972)	L
<i>stampfii</i> HORST, 1895; <i>Benhamia</i> MICHAELSEN, 1889	sp. inc. sed.	L
<i>stachthauseni</i> MICHAELSEN, 1913; <i>Dichogaster</i> BEDDARD, 1888	<i>Benhamia stockhausenii</i> (MICHAELSEN, 1913)	T
<i>stuhmanni</i> MICHAELSEN, 1890; <i>Benhamia</i> MICHAELSEN, 1889	<i>Dichogaster</i> ( <i>Diphlothecodrilus</i> ) <i>stuhmanni</i> (MICHAELSEN, 1890)	T
<i>taboriana</i> MICHAELSEN, 1913; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster</i> ( <i>Diphlothecodrilus</i> ) <i>taboriana</i> (MICHAELSEN, 1913)	T
<i>tamiana</i> COGNETTI, 1911; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster</i> ( <i>Dichogaster</i> ) <i>corticis</i> (MICHAELSEN, 1889)	L
<i>tanganyikae</i> BEDDARD, 1902; <i>Benhamia</i> MICHAELSEN, 1889	<i>Dichogaster</i> ( <i>Diphlothecodrilus</i> ) <i>tanganyikae</i> (BEDDARD, 1902)	O
<i>tenius</i> MICHAELSEN, 1891; <i>Benhamia</i> MICHAELSEN, 1889	sp. inc. sed.	T
<i>tenuiseta</i> MICHAELSEN & VAILLAUD, 1936; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster</i> ( <i>Diphlothecodrilus</i> ) <i>tenuiseta</i> MICHAELSEN, 1936	T
<i>terrea nigra</i> OMODEO & VAILLAUD, 1967; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster</i> ( <i>Dichogaster</i> ) <i>terrea nigra</i> OMODEO & VAILLAUD, 1967	O
<i>territoria</i> MICHAELSEN, 1915; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster</i> ( <i>Dichogaster</i> ) <i>territoria</i> MICHAELSEN, 1915	T
<i>thibaudi</i> CSUZDI & ZICSI, 1939; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster</i> ( <i>Diphlothecodrilus</i> ) <i>thibaudi</i> CSUZDI & ZICSI, 1939	T
<i>thomeana</i> COGNETTI, 1910; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster</i> ( <i>Dichogaster</i> ) <i>grefifi</i> MICHAELSEN, 1902	T
<i>tuillata</i> SIMS, 1967; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster</i> ( <i>Dichogaster</i> ) <i>tuillata</i> SIMS, 1967	T
<i>tocaya</i> RIGHI, & al., 1978; <i>Wegerinella</i> MICHAELSEN, 1933	<i>Piciflora</i> ( <i>Onnadasconex</i> ) <i>tocaya</i> (RIGHI & al., 1978)	L
<i>toroensis</i> MICHAELSEN, 1892; <i>Benhamia</i> MICHAELSEN, 1889	sp. inc. sed.	L
<i>toroensis</i> COGNETTI, 1907; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster</i> ( <i>Diphlothecodrilus</i> ) <i>toroensis</i> COGNETTI, 1907	T
<i>townsendi</i> EISEN, 1900; <i>Dichogaster</i> BEDDARD, 1888	<i>Eurigaster</i> ( <i>Eurigaster</i> ) <i>townsendi</i> (EISEN, 1900)	L
<i>travancorensis</i> FEDARB, 1898; <i>Benhamia</i> MICHAELSEN, 1889	<i>Dichogaster</i> ( <i>Diphlothecodrilus</i> ) <i>anna</i> (HORST, 1893)	T
<i>tristiani</i> COGNETTI, 1907; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster</i> ( <i>Diphlothecodrilus</i> ) <i>tristiani</i> COGNETTI, 1907	T
<i>tristini</i> OMODEO, 1955; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster</i> ( <i>Dichogaster</i> ) <i>tristini</i> OMODEO, 1955	L
<i>ufipana</i> MICHAELSEN, 1913; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster</i> ( <i>Diphlothecodrilus</i> ) <i>aequatorialis</i> (MICHAELSEN, 1966)	T
<i>uhleri</i> MICHAELSEN, 1935; <i>Dichogaster</i> BEDDARD, 1888	<i>Eurigaster</i> ( <i>Graffia</i> ) <i>uhleri</i> (MICHAELSEN, 1935)	L
<i>undecim</i> OMODEO, 1958; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster</i> ( <i>Dichogaster</i> ) <i>undecim</i> OMODEO, 1958	L
<i>valdiviae</i> MICHAELSEN, 1903; ? <i>Noitiodrilus</i> MICHAELSEN, 1899	<i>Wegeneriella valdiviae</i> (MICHAELSEN, 1903)	O
<i>variabilis</i> ČERNOSVÍTĚK, 1938; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster</i> ( <i>Diphlothecodrilus</i> ) <i>variabilis</i> (MICHAELSEN, 1966)	T
<i>verens</i> COGNETTI, 1905; <i>Dichogaster</i> BEDDARD, 1888	<i>Eurigaster</i> ( <i>Graffia</i> ) <i>verens</i> (COGNETTI, 1905)	T
<i>vitalis</i> MICHAELSEN, 1912; <i>Dichogaster</i> BEDDARD, 1888	<i>Eurigaster</i> ( <i>Eurigaster</i> ) <i>vitalis</i> (MICHAELSEN, 1912)	T
<i>wiridis</i> EISEN, 1900; <i>Benhamia</i> MICHAELSEN, 1889	<i>Eurigaster</i> ( <i>Graffia</i> ) <i>wiridis</i> (EISEN, 1900)	T
<i>wangaensis</i> MICHAELSEN, 1905; <i>Dichogaster</i> BEDDARD, 1888	<i>Dichogaster</i> ( <i>Diphlothecodrilus</i> ) <i>wangaensis</i> MICHAELSEN, 1905	T
<i>wenkei</i> BEDDARD, 1893; <i>Benhamia</i> MICHAELSEN, 1889	<i>Dichogaster</i> ( <i>Dichogaster</i> ) <i>wenkei</i> (MICHAELSEN, 1931)	T
<i>whytei</i> BEDDARD, 1893; <i>Benhamia</i> MICHAELSEN, 1889	sp. inc. sed.	T

## List of valid names

**Family: Acanthodrilidae CLAUS, 1880**

**Subfamily: Benhamiinae MICHAELSEN, 1897, emend CSUZDI, in press.**

***Agastrodrilus* OMODEO & VAILLAUD, 1967: 925.**

Type species: *Agastrodrilus opisthogynus* OMODEO & VAILLAUD, 1967: 926.

Location: ?

*dominicae* LAVELLE, 1981: 254.

Type material location: OECO,  
BMNH<sup>1</sup>.

*insolitus* SIMS, 1986: 309.

Type material location: BMNH.  
*lavellei* SIMS, 1986: 310.

Type material location: BMNH.  
*multivesiculatus* OMODEO & VAILLAUD,  
1967: 927.

Type material location: ?

***Benhamia* MICHAELSEN, 1889: 6,  
emend, CSUZDI & ZICSI 1994: 218.**

Type species: *Benhamia rosea*  
MICHAELSEN, 1889: 6.

Location: ZMUH.

*itoliensis* MICHAELSEN, 1892: 3.

Type material location: ZMUH.

*pinguis* (COGNETTI, 1910): 86.

Type material location: MZUT.

***Benhamiona* CSUZDI & ZICSI, 1994: 220**

Type species: *Benhamiona baumannii*  
(MICHAELSEN, 1897): 18. Location:  
ZMUH, MNHU.

*balantina* (OMODEO, 1958): 46.

Type material location: ?

*beddardi* (HORST, 1888): 123.

Type material location: RNHL.

*biggei* (MICHAELSEN, 1915): 215.

Type material location: ZMUH.

*budgetti* (BEDDARD, 1900): 653.

Type material location: BMNH.

*buettikoferii* (HORST, 1884): 105.

Type material location: RNHL.

*capilliseta* (OMODEO, 1958): 57.

Type material location: ?

*esca* (STEPHENSON, 1931): 71.

Type material location: BMNH.

*gambiana* (BEDDARD, 1902): 210.

Type material location: BMNH perd.

*guineana* (OMODEO, 1958): 39.

Type material location: ?

*hansi* (MICHAELSEN, 1914): 101.

Type material location: ZMUH.

*horsti* (MICHAELSEN, 1898): 171.

Type material location: ZMUH,  
RNHL.

*hupferi* (MICHAELSEN, 1891): 66.

Type material location: ZMUH perd.

*kindiana* (MICHAELSEN, 1914): 183.

Type material location: MGDG.

*liberiensis* (HORST, 1895): 21.

Type material location: RNHL.

*michaelseni* (BEDDARD, 1902): 213.

Type material location: BMNH perd.

*missaensis* (MICHAELSEN, 1897): 28.

Type material location: ZMUH.

*murithae* CSUZDI & ZICSI, 1994: 222.

Type material location: MHNG.

*ornata* (SCIACCHITANO, 1952): 482.

Type material location: ?

*pitti* CSUZDI & ZICSI, 1994: 224.

Type material location: MRAC,  
TIUB.

*puyaertii* CSUZDI & ZICSI, 1994: 225.

<sup>1</sup> The abbreviations used, are identical with those of REYNOLDS & COOK (1976).

- Type material location: MRAC.  
*robertsiana* (MICHAELSEN, 1922): 18.  
 Type material location: ZMUH,  
 RNHL.  
*schomburgki* (MICHAELSEN, 1913): 156.  
 Type material location: ZMUH, perd.  
*stockhausenii* (MICHAELSEN, 1913): 162.  
 Type material location: ZMUH.
- Dichogaster (Dichogaster) BEDDARD, 1888:** 251 emend Csuzdi, in press.
- Type species: *Dichogaster*  
*(Dichogaster) damonis* BEDDARD, 1888:  
 251. Location: ?
- arboricola* WASAWO & OMODEO, 1963:  
 213.  
 Type material location: ?  
*arcifera* OMODEO, 1958: 68.  
 Type material location: ?  
*baeri* SCIACCHITANO, 1952: 477.  
 Type material location: ?  
*buettneri* (MICHAELSEN, 1892): 259.  
 Type material location: MNHU.  
*candida* OMODEO, 1958: 70.  
 Type material location: ?  
*corticis* (MICHAELSEN, 1899): 80.  
 Type material location: ZMUH.  
*cyrtocochaeta* COGNETTI, 1910: 91.  
 Type material location: MZUT.  
*ehrhardti* (MICHAELSEN, 1898): 3.  
 Type material location: ZMUH,  
 RNHL.  
*enchytraeus* OMODEO, 1958: 84.  
 Type material location: ?  
*endemica* MICHAELSEN, 1914: 89.  
 Type material location: ZMUH.  
*feai* COGNETTI, 1910: 104.  
 Type material location: ?  
*gestroi* COGNETTI, 1910: 96.  
 Type material location: ?

- golaensis* MICHAELSEN, 1913: 160.  
 Type material location: ZMUH.  
*graffi* CSUZDI & ZICSI, 1989: 146.  
 Type material location: TIUB.  
*greeffi*, MICHAELSEN, 1902: 20.  
 Type material location: ZMUH.  
*insularis* (MICHAELSEN, 1895): 31.  
 Type material location: ZMUH.  
*lamottei* OMODEO, 1958: 69.  
 Type material location: ?  
*leroyi* OMODEO, 1958: 65.  
 Type material location: ?  
*ligula* SIMS, 1964: 107.  
 Type material location: BMNH.  
*lofaensis* MICHAELSEN, 1914: 99.  
 Type material location: ZMUH.  
*majoris* MICHAELSEN, 1914: 93.  
 Type material location: ZMUH.  
*malarmata* (ROSA, 1898): 57.  
 Type material location: MGDG.  
*mangeri* MICHAELSEN, 1913: 158.  
 Type material location: ZMUH.  
*nematochaeta* OMODEO, 1958: 76.  
 Type material location: ?  
*notabilis* OMODEO, 1958: 74.  
 Type material location: ?  
*papillosa* OMODEO, 1958: 85.  
 Type material location: ?  
*penigera* OMODEO, 1958: 72.  
 Type material location: ?  
*pooensis* COGNETTI, 1910: 102.  
 Type material location: ?  
*proandra* OMODEO, 1958: 78.  
 Type material location: ?  
*reinckeii* (MICHAELSEN, 1898): 175.  
 Type material location: ZMUH.  
*septemdecim* OMODEO, 1958: 82.  
 Type material location: ?  
*sexdecim* OMODEO, 1958: 81.  
 Type material location: ?  
*sibitiensis* CSUZDI & ZICSI, 1989: 145.  
 Type material location: TIUB.

*singula* OMODEO, 1958: 75.

Type material location: ?

*terraenigrae* OMODEO & VAILLAUD, 1967: 934.

Type material location: ?

*terricola* MICHAELSEN, 1915: 212.

Type material location: ZMUH.

*tillitata* SIMS, 1967: 28.

Type material location: BMNH.

*tuzeti* OMODEO, 1955: 227.

Type material location: ?

*undecim* OMODEO, 1958: 79.

Type material location: ?

*wenkei* (MICHAELSEN, 1931): 539.

Type material location: ZMUH.

**Dichogaster (Diplothecodrilus) CSUZDI, in press.**

Type species: *Dichogaster annae*

(HORST, 1893): 32. Location: RNHL.

*adjelana* MICHAELSEN, 1915: 200.

Type material location: ZMUH.

*aequatorialis* (MICHAELSEN, 1896): 32

Type material location: MNHU,  
ZMUH.

*affinis* (MICHAELSEN, 1890): 9.

Type material location: ZMUH.

*aloysiisabaudiae* COGNETTI, 1906: 1.

Type material location: MZUT.

*amphibiotica* DAHL, 1957: 1167.

Type material location: ?

*andina* COGNETTI, 1904: 4.

Type material location: ?

*anguana* MICHAELSEN, 1915: 209.

Type material location: ZMUH.

*austeni* (BEDDARD, 1901): 206.

Type material location: BMNH.

*badajos* RIGHI & AL., 1978: 44.

Type material location: INPA.

*bagiloana* MICHAELSEN, 1937: 433.

Type material location: ?

*balantina* MICHAELSEN, 1915: 192.

Type material location: ZMUH.

*bolaui* (MICHAELSEN, 1891): 9.

Type material location: ZMUH,  
BMNH, MNHU.

*cagnii* COGNETTI, 1906: 2.

Type material location: MZUT.

*castanea* (MICHAELSEN, 1896): 30.

Type material location: MNHU,  
ZMUH.

*chapini* MICHAELSEN, 1936: 4.

Type material location: ZMUH,  
AMNH.

*christyana* MICHAELSEN, 1937: 504.

Type material location: BMNH.

*complanata* (MICHAELSEN, 1897): 8.

Type material location: MNHU.  
*congica* (HORST, 1894): 68.

Type material location: RNHL.

*crateris* MICHAELSEN, 1912: 29.

Type material location: MNHU,  
ZMUH.

*culminis* (MICHAELSEN, 1896): 32.

Type material location: MNHU,  
ZMUH.

*cultrifera* MICHAELSEN, 1903: 451.

Type material location: MNHU.

*curta* (MICHAELSEN, 1896): 54.

Type material location: ZMUH perd.  
*curvisetifera* CSUZDI & ZICSI, 1994: 50.

Type material location: KBIB.

*daemonicaca* COGNETTI, 1907: 3.

Type material location: MZUT.

*deflecticista* MICHAELSEN, 1935: 61.

Type material location: MRAC.

*dewittei* CSUZDI & ZICSI, 1994: 48.

Type material location: KBIB, TIUB.  
*djememensis* STEPHENSON, 1932: 242.

Type material location: BMNH.

*dokoensis* MICHAELSEN, 1903: 449.

Type material location: MNHU.

*dzwilloi* CSUZDI & ZICSI, 1989: 143.

Type material location: TIUB.

- elgonensis* MICHAELSEN, 1937: 437.  
Type material location: ZMUH.
- erlangeri* MICHAELSEN, 1903: 456.  
Type material location: ZMUH.
- ernesti* (MICHAELSEN, 1897): 7.  
Type material location: MNHU,  
ZMUH.
- excelsa* COGNETTI, 1907: 1.  
Type material location: MZUT.
- flagellifera* STEPHENSON, 1933: 225.  
Type material location: BMNH.
- flandria* MICHAELSEN, 1936: 213.  
Type material location: ZMUH,  
MRAC.
- foetida* MICHAELSEN, 1932: 5.  
Type material location: ?
- frickei* MICHAELSEN, 1912: 35.  
Type material location: ZMUH.
- gabunensis* MICHAELSEN, 1915: 198.  
Type material location: ZMUH.
- gardullaensis* MICHAELSEN, 1903: 454.  
Type material location: MNHU.
- gofaensis* MICHAELSEN, 1903: 448.  
Type material location: MNHU,  
ZMUH.
- gracilis* (MICHAELSEN, 1892): 258.  
Type material location: MNHN.
- guildingi* (BAIRD, 1871): 96.  
Type material location: BMNH.
- hemiandra* OMODEO, 1973: 31.  
Type material location: MDPA.
- heterochaeta* MICHAELSEN, 1922: 3.  
Type material location: ?
- ibaia* RIGHI & AL., 1978: 42.  
Type material location: INPA.
- insulsa* COGNETTI, 1910: 98.  
Type material location: MZUT.
- intermedia* (MICHAELSEN, 1891): 225.  
Type material location: MNHU,  
ZMUH.
- jamaicae* (EISEN, 1900): 218.  
Type material location: perd.
- jordani* MICHAELSEN, 1937: 506.  
Type material location: BMNH.
- kaburomina* MICHAELSEN, 1937: 441.  
Type material location: ZMUH.
- kappaensis* MICHAELSEN, 1903: 444.  
Type material location: ZMUH,  
MNHU.
- karagoensis* MICHAELSEN, 1912: 23.  
Type material location: ZMUH,  
MRAC.
- karissimbii* MICHAELSEN, 1912: 18.  
Type material location: ZMUH,  
MNHU, MRAC.
- katangae* MICHAELSEN, 1915: 202.  
Type material location: ZMUH,  
MRAC.
- kigogoana* STEPHENSON, 1933: 232.  
Type material location: BMNH.
- kiwuensis* MICHAELSEN, 1912: 26.  
Type material location: ZMUH,  
MNHU.
- krugeri* REINECKE & ACKERMANN,  
1977: 7.  
Type material location: ZIPU.
- kunguluensis* MICHAELSEN, 1915: 194.  
Type material location: ZMUH,  
MRAC.
- kwidschiensis* MICHAELSEN, 1912: 25.  
Type material location: ZMUH,  
MRAC.
- lavellei* Csuzdi, 1992: 48.  
Type material location: TIUB.
- lituifera* MICHAELSEN, 1903: 453.  
Type material location: MNHU.
- loboziana* MICHAELSEN, 1915: 207.  
Type material location: ZMUH,  
MRAC.
- loennbergi* MICHAELSEN, 1912: 1.  
Type material location: NHRS.
- lukafuensis* MICHAELSEN, 1935: 55.  
Type material location: ZMUH,  
MRAC.

- macfadyeni* CSUZDI, 1991: 90.  
 Type material location: TIUB.
- machadoi* OMODEO, 1973: 29.  
 Type material location: MDPA.
- medellinina* MICHAELSEN, 1914: 215.  
 Type material location: ZMUH.
- meyaensis* CSUZDI & ZICSI, 1989: 147.  
 Type material location: TIUB.
- modesta* MICHAELSEN, 1903: 446.  
 Type material location: ZMUH,  
 MNHU.
- modiglianii* (ROSA, 1896): 510.  
 Type material location: MGDG.
- monticola* (MICHAELSEN, 1896): 27.  
 Type material location: ZMUH.
- mulataensis* MICHAELSEN, 1903: 458.  
 Type material location: ZMUH.
- mundamensis* (MICHAELSEN, 1897): 11.  
 Type material location: ZMUH.
- navana* MICHAELSEN, 1936: 6.  
 Type material location: AMNH.
- neumanni* (MICHAELSEN, 1897): 1.  
 Type material location: MNHU,  
 ZMUH.
- papillifera* CSUZDI & ZICSI, 1989: 139.  
 Type material location: TIUB.
- pauliani* CSUZDI & ZICSI, 1989: 141.  
 Type material location: TIUB.
- princeps* COGNETTI, 1910: 94.  
 Type material location: MZUT.
- proboscideus* (MICHAELSEN, 1897): 29.  
 Type material location: ?
- roccatii* COGNETTI, 1906: 2.  
 Type material location: MZUT.
- rubella* MICHAELSEN, 1935: 64.  
 Type material location: MRAC.
- rungweensis* STEPHENSON, 1933: 237.  
 Type material location: BMNH.
- ruwenzorii* COGNETTI, 1907: 3.  
 Type material location: MZUT.
- saliens* (BEDDARD, 1893): 683.  
 Type material location: ?
- savanicola* MICHAELSEN, 1915: 204.  
 Type material location: ZMUH.
- schubotzi* MICHAELSEN, 1912: 20.  
 Type material location: ZMUH.
- scotti* STEPHENSON, 1932: 239.  
 Type material location: BMNH.
- seriatospina* MICHAELSEN, 1912: 30.  
 Type material location: ?
- silvestris* (MICHAELSEN, 1896): 28.  
 Type material location: ZMUH,  
 MNHU.
- sorosi* CSUZDI & ZICSI, 1989: 142.  
 Type material location: TIUB.
- stuhlmanni* (MICHAELSEN, 1890): 5.  
 Type material location: ZMUH,  
 MNHU, BMNH.
- taborana* MICHAELSEN, 1913: 153.  
 Type material location: ZMUH,  
 MNHU.
- tanganyikae* (BEDDARD, 1902): 459.  
 Type material location: ?
- tenuiseta* MICHAELSEN, 1936: 216.  
 Type material location: ZMUH.
- thibaudi* CSUZDI & ZICSI, 1989: 144.  
 Type material location: TIUB.
- toroensis* COGNETTI, 1907: 3.  
 Type material location: MZUT.
- tristani* Cognetti, 1907: 791.  
 Type material location: MZUT.
- ufipana* MICHAELSEN, 1913: 149.  
 Type material location: ZMUH,  
 MNHU.
- wangaensis* MICHAELSEN, 1905: 312.  
 Type material location: ZMUH.
- Eutrigaster (Eutrigaster)* COGNETTI,  
 1904: 2, emend SIMS, 1987: 432, and  
 CSUZDI & ZICSI, 1991: 182.  
 Type species: *Eutrigaster (Eutrigaster)*

*oraedivitis* COGNETTI, 1904: 2.

Location: MZUT.

*grandis* SIMS, 1987: 434.

Type material location: BMNH.

*guetare* (RIGHI & MERINO, 1987): 540.

Type material location: DZSP.

*hilaris* (COGNETTI, 1904): 2.

Type material location: MZUT.

*kepo* (RIGHI & MERINO, 1987): 540.

Type material location: DZSP.

*lineri* (RIGHI, 1972): 217.

Type material location: DZSP.

*montecyanensis* SIMS, 1987: 435.

Type material location: BMNH.

*orobia* (GRAFF, 1957): 138.

Type material location: SMFD.

*pobozsnyae* CSUZDI, 1994: 64.

Type material location: TIUB.

*ribacourti* (EISEN, 1900): 235.

Type material location: perd.

*townsendi* (EISEN, 1900): 238.

Type material location: perd.

*vialis* (MICHAELSEN, 1912): 121.

Type material location: ZMUH.

***Eutrigaster (Graffia)* CSUZDI & ZICSI, 1991: 182.**

Type species: *Eutrigaster (Graffia) picadoi* (MICHAELSEN, 1912): 117.

Location: ZMUH.

*eiseni* CSUZDI & ZICSI, 1991: 188.

Type material location: ZMUH.

*gagzoi* (MICHAELSEN, 1908): 17.

Type material location: ZMUH.

*godeffroyi* (MICHAELSEN, 1890): 5.

Type material location: ZMUH.

*guatemalae* (EISEN, 1900): 219.

Type material location: perd.

*hartmeyeri* (MICHAELSEN, 1908): 15.

Type material location: ZMUH.

*keiteli* (MICHAELSEN, 1898): 173.

Type material location: ZMUH.

*manni* (MICHAELSEN, 1935): 61.

Type material location: ?

*michaelseniana* CSUZDI & ZICSI, 1991:

187.

Type material location: TIUB,  
ZMUH.

*montana* CSUZDI & ZICSI, 1991: 185.

Type material location: TIUB.

*reichardti* (MICHAELSEN, 1908): 20.

Type material location: ?

*rodriguezi* CSUZDI, 1994: 65.

Type material location: TIUB.

*sporadonephra sporadonephra*  
(COGNETTI, 1905): 2.

Type material location: MZUT.

*sporadonephra disa* (RIGHI, 1972): 214.

Type material location: DZSP.

*uhleri* (MICHAELSEN, 1935): 58.

Type material location: ?

*verens* (COGNETTI, 1905): 46.

Type material location: MZUT.

*viridis* (EISEN, 1900): 214.

Type material location: perd.

***Guineoscolex* CSUZDI & ZICSI, 1994: 227.**

Type species: *Guineoscolex inaequalis* (MICHAELSEN, 1914): 175. Location:  
ZMUH.

*bolamensis* (COGNETTI, 1910): 90.

Type material location: ?

*coronatus* (OMODEO, 1958): 56.

Type material location: ?

*mamillatus* (OMODEO, 1958): 52.

Type material location: ?

*microscolecinus* (OMODEO, 1958): 54.

Type material location: ?

*minusculus* (OMODEO, 1958): 55.

Type material location: ?

*silvestrii* (MICHAELSEN, 1914): 172.

Type material location: ZMUH.

**Millsonia BEDDARD, 1894: 380.**

Type species: *Millsonia nigra*

BEDDARD, 1894: 384. Location:  
BMNH.

*anomala* OMODEO, 1955: 219.

Type material location: ?

*artesetosa* SIMS, 1986: 281.

Type material location: BMNH.

*ashantiensis* SIMS, 1986: 281.

Type material location: BMNH.

*brevicingulata* SIMS, 1986: 282.

Type material location: BMNH.

*caecifera* (BENHAM, 1894): 103.

Type material location: BMNH.

*centralis* SIMS, 1986: 285.

Type material location: BMNH.

*cruciventris* SIMS, 1986: 286.

Type material location: BMNH.

*ditheca* SIMS, 1965: 296.

Type material location: BMNH.

*ghanensis* SIMS, 1965: 293.

Type material location: BMNH.

*guttata* (MICHAELSEN, 1913): 166.

Type material location: ZMUH.

*hemina* SIMS, 1965: 291.

Type material location: BMNH.

*heteronephra* (MICHAELSEN, 1897): 22.

Type material location: ZMUH.

*hortensis* SIMS, 1986: 293.

Type material location: BMNH.

*inermis* (MICHAELSEN, 1892): 209.

Type material location: ZMUH,

MNHU.

*jadwigae* SIMS, 1986: 295.

Type material location: BMNH.

*lamtoiana* OMODEO & VAILLAUD, 1967:

932.

Type material location: ?

*meridionalis* OMODEO, 1973: 87.

Type material location: MDPA.

*mima* (MICHAELSEN, 1891): 212.

Type material location: MNHU.

*moderata* SIMS, 1986: 199.

Type material location: BMNH.

*nilesi* SIMS, 1986: 301.

Type material location: BMNH.

*nota* SIMS, 1986: 303.

Type material location: BMNH.

*omodeoi* SIMS, 1986: 304.

Type material location: SETL.

*oracapensis* SIMS, 1986: 305.

Type material location: BMNH.

*pulvillaris* SIMS, 1986: 305.

Type material location: BMNH.

*pumila* SIMS, 1965: 289.

Type material location: BMNH.

*riparia* SIMS, 1986: 307.

Type material location: BMNH.

*schlegeli* (HORST, 1884): 103.

Type material location: RNHL.

*sokodeana* (MICHAELSEN, 1913): 168.

Type material location: MNHU,

ZMUH.

**Monogaster MICHAELSEN, 1915: 188.**

Type species: *Monogaster bidjumensis*

MICHAELSEN, 1915: 188. Location:  
ZMUH.

**Monothecodrilus CSUZDI & ZICSI, 1994: 228.**

Type species: *Monothecodrilus monothecus* (OMODEO, 1958): 50.

Type material location: ?

*reductus* (SIMS, 1967): 22.

Type material location: BMNH.

*scherbroensis* (MICHAELSEN, 1910): 112.

Type material location: ZMUH.

***Neogaster* ČERNOSVITOV, 1934: 51.**

Type species: *Neogaster americana*

ČERNOSVITOV, 1934: 51. Location:

BMNH, MNHN

*aidae* RIGHI, 1975: 80.

Type material location: DZSP.

*angeloi* RIGHI, 1988: 350.

Type material location: DZSP.

*gavrilovi* RIGHI & CABALLERO, 1970: 94.

Type material location: DZSP.

***Omodeona* SIMS, 1967: 32.**

Type species: *Omodeona proboscoides*

SIMS, 1967: 33. Location: BMNH. =

*Omodeona fallax* (COGNETTI, 1910): 88.

Location: MZUT.

*braunsi* (MICHAELSEN, 1895): 27.

Type material location: ?

***Pickfordia* (*Pickfordia*) OMODEO, 1958: 29. emend CSUZDI, 1993: 67.**

Type species: *Pickfordia* (*Pickfordia*) *magnisetosa* OMODEO, 1958: 30.

Location: ?

*ditheca* OMODEO, 1958: 34.

Type material location: ?

*hemibalantina* OMODEO, 1958: 36.

Type material location: ?

*pseudoplanaria* OMODEO, 1958: 33.

Type material location: ?

***Pickfordia* (*Omodeoscolex*) CSUZDI, 1993: 67.**

Type species: *Pickfordia*

(*Omodeoscolex*) *divergens* *divergens*

(COGNETTI, 1905): 2. Location: MZUT.

*africana* (OMODEO, 1955): 8.

Type material location: ?

*cisatlantica* (OMODEO, 1955): 12.

Type material location: ?

*divergens itapecu* (RIGHI & al., 1978): 34.

Type material location: INPA.

*tocaya* (RIGHI & al., 1978): 36.

Type material location: INPA.

***Wegeneriella* MICHAELSEN, 1933: 123.**

Type species: *Wegeneriella valdiviae*

(MICHAELSEN, 1903): 146. Location:

ZMUH.

*congica* ZICSI & CSUZDI, 1989: 29.

Type material location: TIUB.

*monotheca* OMODEO, 1955: 2.

Type material location: ?

***Wegeneriona* ČERNOSVITOV, 1939: 116.**

Type species: *Wegeneriona brasiliiana*

ČERNOSVITOV, 1939: 116. BMNH.

*beauforti* MICHAELSEN, 1933: 125.

Type material location: ZMUH.

*belenensis* RIGHI, 1988: 347.

Type material location: DZSP.

*cernosvitovi* RIGHI & CABALLERO, 1970:

92.

Type material location: DZSP.

*michaelseni* (ČERNOSVITOV, 1934): 50.

Type material location: MNHN, BMNH.

### References

- BAYLIS, H.A. 1915: A new african earthworm, collected by Dr. C. Christy for the Congo Museum: with a note on its spermathecae and spermatophores. – Ann. Mag. Nat. Hist. 8(16): 449-465.
- BEDDARD, F.E. 1888: On certain points in the structure of *Urochaeta*, E.P., and *Dichogaster*, nov. gen., with further remarks on the nephridia of earthworms. – Quart. J. micros. Sci., n.s. 29: 235-282.
- BEDDARD, F.E. 1893: On some new species of earthworms from various parts of the world. – Proc. Zool. Soc. London 1892: 666-706.
- BEDDARD, F.E. 1894: On two new genera, comprising three new species, of earthworms from western tropical Africa. – Proc. Zool. Soc. London 1894: 397-391.
- BEDDARD, F.E. 1895: A monograph of the order of Oligochaeta. – Oxford, Calderon Press. 769 pp.
- BEDDARD, F.E. 1900: On a species of earthworm from western tropical Africa. – Proc. Zool. Soc. London 1900: 167-173.
- BEDDARD, F.E. 1901: On some species of earthworms of the genus *Benhamia* from tropical Africa. – Proc. Zool. Soc. London 1901(2): 190-206.
- BEDDARD, F.E. 1902: On two new earthworms of the family Megascolecidae. – Ann. Mag. Nat. Hist. 7(9): 456-463.
- BENHAM, W.B. 1894: On *Benhamia caecifera* nov. sp. from the Gold Coast. – Quart. J. Microsc. Sci. N.S. 37: 103-112..
- ČERNOSVITOV, L. 1934: Les Oligochetes de la Guyane Francaise et d'autres pays de l'Amérique du sud. – Bull. Mus. Nat. Hist. Nat. 6: 47-59.
- ČERNOSVITOV, L. 1938: Mission scientifique de l'Omo: Oligochaeta. – Mem. Mus. Nat. Hist. Nat. 8: 255-318.
- ČERNOSVITOV, L. 1939: Oligochaeta VIII. Resultats scientifiques des croisières du navire-école belge "Mercator". – Mem. Mus. Hist. Nat. Belg. 15: 115-129.
- CHEN, Y. 1938: Oligochaeta from Hainan, Kwantung. – Cont. Biol. Lab. Sci. Soc. China (Zool.) 12(10): 375-427
- CLAUS, C.F.E. 1880: Grundzüge der Zoologie 4th edn. Marburg, Elwert Press. 821 pp.
- COGNETTI DE MARTIIS, L. 1904: Oligocheti di Costa Rica. – Boll. Mus. Zool. Anat. Comp. Torino 19(462): 1-11.
- COGNETTI DE MARTIIS, L. 1904a: Nuovi Oligocheti di Costa Rica. – Boll. Mus. Zool. Anat. Comp. Torino 19(478): 1-4.
- COGNETTI DE MARTIIS, L. 1904b: Oligocheti dell'Ecuador. – Boll. Mus. Zool. Anat. Comp. Torino 19(474): 1-18.
- COGNETTI DE MARTIIS, L. 1906: Spedizione al Ruwenzori di S.A.R. Luigi Amadeo di Savoia duca degli Abruzzi I. - Nuovi Megascolecidi africani. – Boll. Mus. Zool. Anat. Comp. Torino 21(539): 1-3.
- COGNETTI DE MARTIIS, L. 1907: Nuovo contributo alla conoscenza della drilofauna neotropicale. – Atti. Acad. Torino 42: 789-800.
- COGNETTI DE MARTIIS, L. 1907a: Lombichi nuovi del Monte Ruwenzori. – Boll. Mus. Zool. Anat. Comp. Torino 22(551): 1-4.
- COGNETTI DE MARTIIS, L. 1909: Lombichi del Ruwenzori e dell'Uganda. – Il Ruwenzori 1: 1-56.

- COGNETTI DE MARTIIS, L. 1909a: Un nuovo *Dichogaster* africano. – Boll. Mus. Zool. Anat. Comp. Torino 24(599): 1-3.
- COGNETTI DE MARTIIS, L. 1910: Lombrichi raccolti dal Cav. Leonardo Fea nelle Isole del Capo Verde e nel Golfo di Guinea. – Ann. Mus. Genova 4: 79-118.
- COGNETTI DE MARTIIS, L. 1911: Nuove specie dei generi *Pherethima* e *Dichogaster*. – Boll. Mus. Zool. Anat. Comp. Torino 26(641): 1-7.
- COGNETTI DE MARTIIS, L. 1915: Oligocheti raccolti da S.A.R. la Duchessa di Aosta nella regione dei grandi laghi dell'Africa equatoriale. – Ann. Mus. Napoli 4(17): 1-5.
- CSUZDI, Cs. 1991: Eine neue *Dichogaster*-Art aus Tansanien (Oligochaeta, Octochaetidae). – Opusc. Zool. Budapest 24: 89-95.
- CSUZDI, Cs. 1992: Neue Angaben zur Regenwurmfauna des Kongo-Gebietes (Oligochaeta: Octochaetidae). – Opusc. Zool. Budapest 25: 45-49.
- CSUZDI, Cs. 1993: Über die Taxonomischen Probleme einiger amphiatlantischer Regenwurm Gattungen (Oligochaeta, Octochaetidae). Regenwürmer aus Südamerika 18. – Acta Zool. Hung. 39: 61-69.
- CSUZDI, Cs. 1994: Neue *Eutrigaster* Arten aus Kuba und Ihre zoogeographischen Beziehungen (Oligochaeta, Octochaetidae). Regenwürmer aus Südamerika 22. – Mitt. hamb. zool. Mus. Inst. 89(Suppl. 2): 63-70.
- CSUZDI, Cs. (in press): Revision der Unterfamilie Benhamiinae (Oligochaeta: Acanthodrilidae). – Mitt. Zool. Mus. Berlin.
- CSUZDI, Cs. & A. ZICSI 1989: Neue *Dichogaster*-Arten aus der Kongo-Region (Oligochaeta, Octochaetidae). – Mitt. hamb. zool. Mus. Inst. 86: 133-152.
- CSUZDI, Cs. & A. ZICSI 1991: Über die Verbreitung neuer und bekannter *Dichogaster* und *Eutrigaster* Arten aus Mittel- und Südamerika (Oligochaeta, Octochaetidae). Regenwürmer aus Südamerika 15. – Acta Zool. Hung. 37: 177-192.
- CSUZDI, Cs. & A. ZICSI 1994: Revision der Gattung *Benhamia* MICHAELSEN, 1889 (Oligochaeta, Octochaetidae). – Rev. suisse. Zool. 101: 215-231.
- CSUZDI, Cs. & A. ZICSI 1994a: Neue *Dichogaster* Arten aus dem Upemba National Park, Zaire (Oligochaeta, Octochaetidae). – Mitt. hamb. zool. Mus. Inst., 89(Suppl. 2): 47-53.
- DAHL, I.O. 1957: Results from the Danish Expedition to the French Cameroons, 1949-1950. XXII. Oligochaeta. – Bull. I.F.A.N. 19(4): 1145-1172.
- EISEN, G. 1896: Pacific coast Oligochaeta. – Mem. Calif. Acad. Sci. 2: 169-172.
- EISEN, G. 1900: Researches in american Oligochaeta with especial reference to those of the Pacific Coast and adjacent islands. – Proc. Calif. Acad. Sci. Zool. 2: 87-256.
- FEDARB, S.M. 1898: On some Earthworms from British India. – Proc. Zool. Soc. London 1898: 445-450.
- FRIEND, H. 1916: Alien Oligochaets in England. – J. Roy. Microsc. Soc. 1916: 262-271.
- GATES, G.E. 1959: On a taxonomic puzzle and the classification of the earthworms. – Bull. Mus. Comp. Zool. Harvard 121: 229-261.
- GRAFF, O. 1957: Regenwürmer aus El Salvador. – Senck. biol. 38: 115-143.
- HORST, H. 1884: On two new species of the genus *Acanthodrilus* PERR. from Liberia. – Notes Leyden Mus. 6: 103-107.
- HORST, R. 1888: Description of earthworms. *Acanthodrilus beddardi* n.sp. a remarkable earthworm from Liberia. – Notes Leyden Mus. 10: 123-128.

- HORST, R. 1893: Descriptions of earthworms VII. - On malayan earthworms. – Notes Leyden Mus. 15: 316-329.
- HORST, R. 1894: On an earthworm from the Upper-Congo *Benhamia congica* n.sp. – Tijdschr. Nederl. Dierk. Ver. 4: 68-70.
- HORST, R. 1895: descriptions of earthworms IX. - On two new *Benhamia* species from Liberia. – Notes Leyden Mus. 17: 21-27.
- JAMIESON, B.G.M. 1971: A review of the Megascolecid earthworm genera (Oligochaeta) of Australia. Part I. - Reclassification and checklist of the Megascolecid genera of the world. – Proc. R. Soc. Qd. 82: 75-86.
- JAMIESON, B.G.M. 1988: On the phylogeny and higher classification of the Oligochaeta. - Cladistics 4: 367-410.
- LABELLE, P. 1981: Un ver de terre carnivore des savanes de la moyenne Côte d'Ivoire: *Agastrodrilus dominicae* nov. sp. (Oligochaetes-Megascolecidae). – Rev. Ecol. Biol. Sol. 18: 253-258.
- MICHAELSEN, W. 1889a: Oligochaeten des Naturhistorischen Museums in Hamburg. I. – Mitt. Mus. Hamb. 6: 3-16.
- MICHAELSEN, W. 1890: Beschreibung der von Herrn Dr. F. Stuhlmann im Mündungsgebiet des Sambesi gesammelten Terricolen. – Mitt. Mus. Hamburg 7: 1-30.
- MICHAELSEN, W. 1890: Oligochaeten des Naturhistorischen Museums in Hamburg III. – Jahrb. Hamb. Wiss. Anstalten 7: 1-12.
- MICHAELSEN, W. 1891: Oligochaeten des Naturhistorischen Museums in Hamburg IV. – Jahrb. Hamb. Wiss. Anstalten 8: 1-42.
- MICHAELSEN, W. 1891a: Terricolen der Berliner Zoologischen Sammlungen I. - Afrika. – Arch. Naturg. 57: 205-229.
- MICHAELSEN, W. 1891b: Beschreibung der von Herrn Dr. F. Stuhlmann an Sansibar und dem gegenüberliegenden Festlande gesammelten Terricolen. – Mitt. Mus. Hamburg 9(1): 1-72.
- MICHAELSEN, W. 1892: Beschreibung der von Herrn Dr. F. Stuhlmann am Victoria Nyanza gesammelten Terricolen. – Mitt. Mus. Hamburg 9(2): 3-14.
- MICHAELSEN, W. 1892a: Terricolen der Berliner Zoologischen Sammlung II. – Arch. Naturg. 1: 1-53.
- MICHAELSEN, W. 1895: Zur Kenntnis der Oligochaeten. – Abh.. Ver. Hamburg 13: 1-37.
- MICHAELSEN, W. 1896: Die Regenwürmer Ost-Afrikas. – Die Tierwelt D.-Ost-Afrika, Berlin 4: 1-48.
- MICHAELSEN, W. 1897: Weiterer Beitrag zur Systematik der Regenwürmer. – Verh. Nat. Ver. Hamburg 1897: 1-26.
- MICHAELSEN, W. 1897a: Neue und wenig bekannte afrikanische Terricolen. – Mitt. Mus. Hamburg 14: 3-71.
- MICHAELSEN, W. 1898: Über eine neue Gattung und vier neue Arten der Unterfamilie Benhamini. – Mitt. Mus. Hamb. 15: 166-178.
- MICHAELSEN, W. 1899: Terricolen von verschiedenen Gebieten der Erde. – Mitt. Mus. Hamburg 16: 1-122.
- MICHAELSEN, W. 1900: Oligochaeta. – Das Tierreich 10: 1-575.
- MICHAELSEN, W. 1902: Neue Oligochaeten und neue Fundorte altbekannter. – Mitt. Mus. Hamburg 19: 1-58.
- MICHAELSEN, W. 1903: Die geographische Verbreitung der Oligochäten. – Berlin, 186 pp.

- MICHAELSEN, W. 1903a: Westafrikanische Oligochaeten, gesammelt von Herrn Prof. Yngve Sjöstedt. – *Ark. Zool.* 1: 157-170.
- MICHAELSEN, W. 1903b: Die Oligochaeten Nordost-Afrikas. – *Zool. Jb. Syst.* 18: 135- 556.
- MICHAELSEN, W. 1903c: Die Oligochaeten der Deutschen Tiefsee Expedition. – *Wiss. Ergebn. dt. Tiefsee Exped. "Valdivia"* 3: 133-166.
- MICHAELSEN, W. 1905: Die Oligochäten Deutsch-Ostafrikas. – *Z. Wiss. Zool.* 82: 288-367.
- MICHAELSEN, W. 1907: Regenwürmer von Erythraea nach der Ausbeute des Herrn Dr. K. Escherich. – *Verh. Ver. Naturwiss. Unterh. Hamburg* 13: 5-15.
- MICHAELSEN, W. 1908: Die Oligochäten Westindiens. – *Zool. Jb. Syst. (Supplement)* 11: 13-32.
- MICHAELSEN, W. 1910: Oligochäten von verschiedenen Gebieten. – *Mitt. Mus. Hamburg* 27: 47-170.
- MICHAELSEN, W. 1912: Die terrestrischen Oligochäten des tropischen Afrikas und ihre geographischen Beziehungen. – *Wiss. Erg. der Deutsch. Zentral-Afrika-Expedition* 3: 1-90.
- MICHAELSEN, W. 1912a: Oligochäten vom Kenia-Distrikt in Britisch-Ostafrika, gesammelt von der Schwedischen Zoologischen Expedition 1911. – *Ark. Zool.* 7(32): 1-6.
- MICHAELSEN, W. 1912b: Über einige zentralamerikanische Oligochäten. – *Arch. Naturg.* 78: 112-129.
- MICHAELSEN, W. 1913: Oligochäten vom tropischen und südlich-subtropischen Afrika I. – *Zoologica Stuttgart* 26: 139-170.
- MICHAELSEN, W. 1914: Die Oligochaeten Columbias. – *Mem. Soc. Neuchatel Sci. Nat.* 5: 202-252.
- MICHAELSEN, W. 1914a: Oligochäten aus dem tropischen Westafrika, gesammelt von Prof. Dr. F. Silvestri. – *Boll. Labor. Zool. gen. agr. Portici* 9: 171-185.
- MICHAELSEN, W. 1914b: Oligochäten vom tropischen Afrika. – *Mitt. Mus. Hamburg* 31: 87- 128.
- MICHAELSEN, W. 1915: Zentralafrikanische Oligochäten. – *Erg. Zweit. Deutsch. Zentral-Afrika-Expedition* 1: 185-317.
- MICHAELSEN, W. 1921: Oligochäten vom westlichen Vorderindien und ihre Beziehungen zur Oligochätenfauna von Madagaskar und den Seychellen. – *Mitt. Mus. Hamburg* 38: 27-68.
- MICHAELSEN, W. 1922: Oligochäten aus dem Rijks Museum van Natuurlijke Historie zu Leiden. – *Capita Zool.* 1(3): 1-72.
- MICHAELSEN, W. 1922a: Sammlungen der Schwedischen Elgon-Expedition. II. Oligochäten. – *Ark. Zool.* 14(6): 2-19.
- MICHAELSEN, W. 1931: Ausländische Opisthopore Oligochaeten. – *Zool. Jb. Syst.* 61: 523- 578.
- MICHAELSEN, W. 1932: Ein neuer Regenwurm aus Belgisch-Kongo. – *Bull. Mus. Roy. Hist. Nat. Belg.* 8(25): 1-5.
- MICHAELSEN, W. 1933: Die Oligochäten Surinames. Mit Erörterung der verwandtschaftlichen und geographischen Beziehungen der Octochäten. – *Tijdschr. Nederl. Dierk. Ver.* 3: 112-130.
- MICHAELSEN, W. 1934: Opisthopore Oligochaeten des Königlichen Naturhistorischen Museums von Belgien. – *Bull. Mus. Hist. Nat. Belg.* 10(25): 1-29.
- MICHAELSEN, W. 1935: Oligochäten von Belgisch-Kongo. – *Rev. Zool. Bot. Afr.* 27: 33-156.
- MICHAELSEN, W. 1935a: Die Opisthoporen Oligochäten Westindiens. – *Mitt. Mus. Hamburg* 45: 51-64.
- MICHAELSEN, W. 1936: Oligochäten von Belgisch-Kongo II. – *Rev. Zool. Bot. Afr.* 28: 213-226.

- MICHAELSEN, W. 1936a: Oligochäten von Belgisch-Kongo III. – Rev. Zool. Bot. Afr. 29: 36-72.
- MICHAELSEN, W. 1936b: African and American Oligochaeta in the American Museum of Natural History. – Amer. Mus. Novitates 843: 1-20.
- MICHAELSEN, W. 1937: Reports on the scientific results of an expedition to rain forest regions in Eastern Africa. – Bull. Mus. Comp. Zool. 79: 433-477.
- OHFUCHI, S. 1957: On a collection of the terrestrial Oligochaeta obtained from various localities in Riu-kuu Islands, together with the consideration of their geographical distribution (Part II.). – J. Agr. Sci. Tokio 3(2): 243-261.
- OMODEO, P. 1955: Nuove specie dei generi a distribuzione amfiatlantica *Wegeneriella* e *Neogaster* (Acanthodrilidae, Oligochaeta). – Ann. Inst. Mus. zool. Univ. Napoli 3: 1-29.
- OMODEO, P. 1955a: Eudrilinae e Octochaetinae della Costa d'Avorio (Oligochaeta). – Mem. Mus. Civ. St. Nat. Verona 4: 213-229.
- OMODEO, P. 1958: Oligochetes. In: La reserve naturelle integrale du Mont Nimba. – Mem. Inst. fr. Afrique noire 53: 9-109.
- OMODEO, P. 1973: Oligochètes del'Angola. – Publ. cult. Co. Diam. ang. Lisboa 87: 13-58.
- OMODEO, P. & M. VAILLAUD 1967: Les Oligochètes de la savane de Gpakobo en Côte- d'Ivoire. – Bull. de I.F.A.N. 29: 925-944.
- PICKFORD, G.E. 1938: Earthworms in Yucatan Caves. In: Fauna of the Caves of Yucatan. – Publ. Carnegie Inst. Wash. 491: 71-100.
- REYNOLDS, J.W. & D.G. COOK 1976: Nomenclatura Oligochaetologica: A catalogue of names, descriptions and type specimens of the Oligochaeta. – Fredericton, Univ. New Brunswick Press. 217 pp.
- RIGHI, G. 1968: Sobre algumaus Oligochaeta do Brasil. – Rev. Brasil. Biol. 28: 369-382.
- RIGHI, G. 1972: On some earthworms from Central America (Oligochaeta). – Stud. Neotrop. Fauna 7: 207-228.
- RIGHI, G. 1975: Some Oligochaeta from the Brasilian Amazonia. – Stud. Neotrop. Fauna 10: 77-96.
- RIGHI, G. 1984: Nova contribucao ao conhecimento dos Oligochaeta da Venezuela. – Pap. Avul. Zool. 35: 243-256.
- RIGHI, G. 1988: Uma colecao de Oligochaeta da Amazonia Brasileira. – Pap. Avul. Zool. 36(30): 337-351.
- RIGHI, G. & M.E.S. CABALLERO 1970: Duas novas especies brasileiras dos generos *Wegeneriona* e *Neogaster* (Oligochaeta, Octochaetidae). – Rev. Brasil. Biol. 30: 91-96.
- RIGHI, G. & I. AYRES 1975: Alguns Oligochaeta sul Brasileiros. – Rev. Brasil. Biol. 35(2): 309-316.
- RIGHI, G., I. AYRES & C.R.E. BITTENCOURT 1978: Oligochaeta (Annelida) do Instituto Nacional de Pesquisas da Amazonia. – Acta Amazonica 8(suppl. 1): 1-49.
- ROSA, D. 1888: Lombrichi della Scioa. – Ann. Mus. Genova 26: 571-592.
- ROSA, D. 1891: Die exotischen Terricolen des K.K. naturhistorischen Hofmuseums. – Ann. Nat. Hofmus. Wien 6: 379-406.
- ROSA, D. 1895: Oligocheti terricoli. (Inclusi quelli raccolti nel Paraguay dal Dr. Paul Jordan). – Boll. Mus. Anat. Comp. Torino 10(204): 1-3.
- ROSA, D. 1896: I lombrichi raccolti a Sumatra dal Dott. E. Modigliani. – Ann. Mus. Genova 16: 502-532.

- ROSA, D. 1898: Viaggio di Lamberto Loria Nella Papuasia Orientale. XXI. - Terricoli. – Ann. Mus. Genova 19: 57-65.
- SCIACCHITANO, I. 1952: Oligochetes de la Cote d'Ivoire. – Rev. suisse Zool. 59: 447-486.
- SIMS, R.W. 1964: Oligochaeta from Ascension Island and Sierra Leone including records of *Pheretima* and a new species of *Dichogaster*. – Ann. Mag. Nat. Hist. 13(7): 107-113.
- SIMS, R.W. 1965: Acanthodrilidae and Eudrilidae (Oligochaeta) from Ghana. – Bull. Brit. Mus. Nat. Hist. 12: 285-311.
- SIMS, R.W. 1965a: The identity of the western african earthworm *Millsonia nigra* BEDDARD, 1894 (synonym *Dichogaster eudrilina* COGNETTI, 1909) Octochaetinae, Oligochaeta. – J. West Afr. Sci. Ass. 10: 39-44.
- SIMS, R.W. 1967: Earthworms (Acanthodrilidae and Eudrilidae: Oligochaeta) from Gambia. – Bull. Brit. Mus. Nat. Hist. 16: 1-43.
- SIMS, R.W. 1980: A classification and the distribution of earthworms, suborder Lumbricina (Haplotauxida: Oligochaeta). – Bull. Brit. Mus. Nat. Hist. 39: 103-124.
- SIMS, R.W. 1986: Revision of the Western African earthworm genus *Millsonia* (Octochaetidae, Oligochaeta). – Bull. Brit. Mus. Nat. Hist. 50: 273-313.
- SIMS, R.W. 1987: New species and records of earthworms from Jamaica with notes on the genus *Eutrigaster* COGNETTI, 1904 (Octochaetidae; Oligochaeta). – J. Nat. Hist. 21: 429-441.
- STEPHENSON, J. 1920: On a collection of Oligochaeta from the lesser known parts of India and from Eastern Persia. – Mem. Ind. Mus. 1: 249-267.
- STEPHENSON, J. 1930: Oligochaeta from the Malay Peninsula. – Journ. fed. Malay St. Mus. 16: 261-285.
- STEPHENSON, J. 1930a: The Oligochaeta. – Oxford, Calderon Press. 978 pp.
- STEPHENSON, J. 1931: Oligochaeta from Burma, Kenya and other parts of the world. – Proc. Zool. Soc. London 1: 33-92.
- STEPHENSON, J. 1931a: Descriptions of Indian Oligochaeta II. – Rec. Ind. Mus. 33: 173- 202.
- STEPHENSON, J. 1932: Report on the Oligochaeta: Mr Omer-Cooper's investigation of the Abyssinian fresh waters (Dr Hugh Scott's expedition). – Proc. Zool. Soc. London: 227-255.
- STEPHENSON, J. 1933: Reports on the scientific results of an expedition to the South-western Highlands of Tanganyika Territory. – Bull. Mus. Comp. Zool. 75: 224-247.
- WASAWO, D.P.S. & P. OMODEO 1963: Some arboricolous Oligochaeta from Ivory Coast. – Mem. Mus. Civ. St. Nat. Verona 11: 211-223.
- ZICSI, A. & Cs. CSUZDI 1989: Eine neue *Wegeneriella*-Art aus dem Kongo-Gebiet (Oligochaeta: Octochaetidae). – Misc. Zool. Hung. 5: 29-31.